

INSTRUCTIONS MANUAL

Model No.: 9079H


HEPA AIR PURIFIER with UV LAMP and IONIZER

Model No.: 9079C

HEPA AIR PURIFIER with OZONIZER and IONIZER

Model No.: 9079D


HEPA AIR PURIFIER with OZONIZER and UV LAMP



READ AND SAVE
THESE IMPORTANT INSTRUCTIONS



When using electrical appliances, basic precautions should always be followed to reduce the risk of fire, electric shock and injury to persons, including the following:

1. Read all instructions before using the appliance.
2. To avoid fire or shock hazard, plug the appliance into an exact electrical outlet.
3. Keep the cord out of heavy traffic areas. To avoid fire hazard, NEVER put the cord under rugs, near heat registers, radiator, stoves, or heaters.
4. To protect against electrical hazards, DO NOT immerse in water or other liquids. Do not use near water.
5. Close supervision is necessary when any appliance is used by or near children, or by disabled people. [Children should be supervised to ensure that they do not play with the appliance.](#)
6. Always unplug the air purifier before moving it, opening the grill, changing filters, cleaning, or whenever the air purifier is not in use. Be sure to pull by the plug and not the cord.
7. NEVER drop or insert any object into any openings.
8. DO NOT operate any appliance with a damaged cord or plug, if motor fan fails to rotate, after the appliance malfunctions, or if it has been dropped or damaged in any manner. Return appliance to manufacturer for examination, electrical or mechanical adjustment, or repair.
9. Use appliance only for intended household use as described in this manual. Any other use not recommended by the manufacturer may cause fire, electric shock, or injury to persons.
10. DO NOT use outdoors.
11. NEVER block the air openings, grilles/outlets or place on a soft surface such as a bed or sofa, as this could cause the unit to tip over, blocking the air Intake or outtake opening.
12. Keep unit away from heated surfaces and open flames.
13. DO NOT attempt to repair or adjust any electrical or mechanical functions on this unit. Doing so will void your warranty. The inside of the unit contains no user serviceable parts. All servicing should be performed by qualified personnel only.
14. WARNING: To reduce the risk of fire or electric shock, DO NOT use this air purifier with any solid-state speed control device.
15. DO NOT place anything on top of unit.



FOR 9079H

FOR 9079C.9079D



FOR
9079H.9079C.9079D

PRE-OPERATING INSTRUCTIONS

1. Carefully remove your air purifier from the gift box and the bag.
2. Select a firm level and flat location. For proper air flow, locate the unit at least 3 feet (1 M) from any wall or furniture. Ensure no grilles are blocked.
3. Plug the power cord into a [120V](#) AC outlet.
4. Always lift your air purifier by the handle of the unit.




Figure 1-1 (For 9079H)




Figure 1-2 (For 9079C)




Figure 1-3 (For 9079D)

OPERATING INSTRUCTIONS

The air purifier may be operated by the manual controls located on the air purifier (as shown in Figure 1-1,1-2,1-3) or by your remote control (shown in Figure 3-1, 3-2).

1. When the air purifier is initially plugged in, the buzzer will come on a “beep” voice indicating that there is power to the unit.
2. Turn the air purifier on by pressing On/Off Button (⏻) and the red indicator will lit until pressing On/Off Button (⏻) again. (Figure 1-1,1-2,1-3)
3. Upon turning the air purifier on, the unit will be in the High mode.
4. Pressing Mode Button (Ⓜ) at this point will set the air purifier into Low mode.
5. Pressing Mode Button (Ⓜ) once more will set the air purifier back to High mode.
6. To turn the air purifier off, press the On/Off Button (⏻).

TIMER FUNCTION: This function will work in any mode. The timer function allows you to set the length of operation from 1 hour (1H) to 8 hours (8H). Press Timer Button (⌚) to set your desired operation time. Once the timer has been set, the timer indicator will lit and the timer will count down the hours, until the air purifier will turn itself off. Pressing Timer Button (⌚) once more after the timer indicator reflects 8 hours (8H) will reset the air purifier to **continuous** running.

HEPA RESET FUNCTION: If the HEPA filter need to be replaced, HEPA Filter Reset Indicator will illuminate and flicker, also the buzzer will come on a “beep, beep” voice. After replacing the HEPA filter, RESET the HEPA Filter Reset Indicator by pressing HEPA Filter Reset Button, then the indicator will stop flickering and the buzzer will stop sounding. Pressing HEPA Filter Reset Button at normal working statement, **the air purifier will not respond except that the buzzer comes on a BEEP.**

UV LAMP FUNCTION (For 9079H): UV germicidal lamp can kill harmful airborne bacteria and virus. This function will work in any mode. Press UV Lamp Button to start the UV lamp and stop the UV lamp by pressing UV Lamp Button again. NOTE: UV lamp function is available for 9079D too. Press On/Off Button and UV lamp will start to work until pressing On/Off Button again to shut off the unit.

IONIZER FUNCTION (For 9079H, 9079C): Press On/Off Button and negative ionizer will start to work until pressing On/Off Button again to shut off the unit.




Figure 2

OZONE FUNCTION (For 9079C, 9079D): This function will work in any mode. Press Ozonizer Button, the ozone will output from Ozone Outlet. Stop ozone output by pressing this button once more.

Ozone can be used to purify water, clean fruits / meat / fish / shrimp / shellfish / rice, wash dishware / face / hands / baby products and for shower, purify air, etc. Use the air pipe supplied as Figure 2 to purify. Please note the unit must be put on a location higher than water level of water container.

CAUTION --- If the ozone function is turned on in a non-ventilated room to sterilize the air (not need to use air pipe supplied), enter the room after the unit stops working for at least 30 minutes. It is recommended that operate the OZONE FUNCTION with TIMER FUNCTION at the same time.




Figure 3-1 (For 9079H)




Figure 3-2 (For 9079C, 9079D)

REMOTE CONTROL FUNCTION: All the functions performed with the Remote Control work identically to the manual controls. (Figure 3-1, 3-2)

1. Install two "AAA" batteries as shown in Figure 3-1 or Figure 3-2.
2. Do not mix old and new batteries. Do not mix alkaline, standard (carbon-zinc) or rechargeable (nickel-cadmium) batteries.




Figure 4

REMOVING/CLEANING/INSTALLING PRE-FILTERS (See Figure 4)

- To remove air inlet covers
 1. Turn off and unplug the unit;
 2. Press the spring buttons and take off the air inlet covers from the unit. The pre-filters are attached on the air inlet covers. (See Figure 4 and consult the indication of arrow)
- To clean pre-filters
 1. Clean pre-filters with the vacuum brush attachment of your vacuum cleaner. This will remove lint and dirt from the filter;
 2. Use a clean, damp, soft cloth to wipe the pre-filters again.
- To install air inlet covers
 1. Direct the air inlet covers bottom toward the hooks on the bottom-side of the unit;
 2. Install the air inlet covers to the unit by gripping and pressing the spring buttons;
 3. Ensure the air inlet covers are flush with the surrounding surface and securely latch in place.

REMOVING/INSTALLING HEPA FILTERS (See Figure 4)

- To remove HEPA filters

1. Turn off and unplug the unit;
2. Press the spring buttons and take off the air inlet covers from the unit.
3. With the air inlet covers removed, remove the used HEPA filter and dispose of it in the garbage. Replace with new HEPA filter then insert it into the air purifier. [Please consult the arrow on the filter sides with the black active carbon filter facing inside.](#)

NOTE:

a. Do NOT try to wash and re-use the HEPA filter. [Please contact the seller to purchase extra new HEPA filter.](#)

b. [There is an active carbon filter attached on the HEPA filter together.](#)

- To install air inlet covers

1. Direct the air inlet covers bottom toward the hooks on the bottom-side of the unit;
2. Install the air inlet covers to the unit by gripping and pressing the spring buttons;
3. Ensure the air inlet covers are flush with the surrounding surface and securely latch in place.




Figure 5

WALL MOUNTING USAGE (See Figure 5)

The air purifier can be used by mounted on the wall.

1. Drilling two holes on the wall comply with a wall-mounted tool applied in the gift box; then fix two screws into the holes;
2. Direct the wall-mounted hooks on the rear of the air purifier to the screws then fix on;

3. Plug the air purifier and use remote controller applied to start and stop it.

NOTE:

1. As mounting the air purifier, always unplug the unit.
2. As mounting the air purifier, the bottom of the unit MUST be 6 feet (1.8 meters) high from the ground of your room. (Refer to Figure 5)

CLEANING AND MAINTENANCE THE UNIT

1. The air purifier should be checked at least once every week and the pre-filter should be cleaned every week. More frequent cleaning may be required depending upon environmental conditions.
2. Clean the pre-filter as REMOVING/CLEANING/INSTALLING PRE-FILTERS.
3. When HEPA Filter Reset Indicator illuminates and flickers, check the HEPA filter as REMOVING/INSTALLING HEPA FILTERS. If the HEPA filter turns white to grey even black, replace it with a new one. If the HEPA filter is still white, please install it back to unit and reset the HEPA RESET BUTTON.
4. Use a clean, dry, soft cloth to wipe the external surface of unit.

NOTE: Do not stick any foreign objects or your fingers inside the unit.

CAUTION: Do not use gasoline, benzene, thinner, harsh cleaners, etc., as they will damage the product. NEVER use ALCOHOL OR SOLVENTS.

TROUBLE SHOOTING TIPS

If the air purifier shuts off unexpectedly, safety features may have been activated to prevent damage or injury. If this happens:

1. Be sure the air purifier is plugged into a working electrical outlet;
2. Check to be sure the HEPA filter is firmly seated in place;
3. Check to be sure the air inlet covers are latched firmly in place.

NOTE: IF YOU CONTINUE TO EXPERIENCE A PROBLEM, PLEASE RETURN THE AIR PURIFIER TO THE PLACE OF ORIGINAL PURCHASE OR SEE YOUR WARRANTY. DO NOT ATTEMPT TO TAKE APART THE UNIT BY YOURSELF. DOING SO MAY VOID YOUR WARRANTY AND CAUSE DAMAGE TO THE PRODUCT OR PERSONAL INJURY.

SPECIFICATION

Model No.	9079H	9079C	9079D
Rated voltage	~ 120V / 60 Hz		
Rated power	40 W		
Air Output	85 cfm		
Ozone output	N.A.	400 mg/hr	400 mg/hr
Timer	1 hr, 2hrs, 4hrs, 8hrs		
Dimension	15.2 x 6.3 x 13.35 inch		
Net weight	7.5 lb		

