
TOEX Catalog 2010







Floor 5, Building 6, No. 675, Zhujin Road, Songjiang District, Shanghai, China. Tel: +86-21-67632060 Fax: +86-21-67632290 E-mail: ssq@toex.cn Http://www.toex.cn







TD-900X Hercules Dual Motor Dryer	
TD-9012X Wall Bracket for Dual Motor Dryer	
TD-901S Stainless Steel Force Dryer	
TD-900 / 901 / 902 Hosed Dryers	
TD-9011 Groomer's Third Arm	
TD-9012 Wall Bracket	
TD-9013 Dryer Stand	
TD-904S Supalite Handheld Dryer	
TD-904S-PR0 The 2nd Generation TD-904S	
TD-9041 Groomer's Third Arm	1
TD-906 Stand Dryer	8
TD-905 Wall-hanging Dryer	1
TD-907 Comparment Dryer	1
TD-908 Noise Terminator - Central Dryer System	-1

FT-811 / 812 / 813 Folding Grooming Table with S/S Leg	
FT-8104 Nylon Table Harness	
FT-8102 Clamp	
FT-8101 Grooming Arm	
FT-8103 Table Shelf	
FT-8120V Oval Top Folding Grooming Table	
FT-814 / 815 / 816 Folder Table with Powder-plated Leg	
FT-830 / 830L Round Rotating Table	
FT-821 Ultra Light Weighted Competition Table	
FT-820 X-shape Competition Table	
FT-805C Round Hydraulic Table with Cabinet	
FT-805 Round Hydraulic Table	
FT-805REC Rectangular Hydraulic Grooming Table	
FT-841 Space Saving Folding Table	
FT-842 Space Saving Folding Table with Cabinet	
FT-804 / 804L Hydraulic Grooming Table	
FT-804E / 804LE Electric Lifting Grooming Table	
FT-806 Super Stable Electric Lifting Table	
FT-807 Fiber Class Buggy Lifting Table	
FT-808 Low-Low Electric Lifting Table	
FT-80401 / 80402 Over-Head Grooming Arm	
FT-8105 Brand New Ultra-Portable Grooming Arm	
FT-8106 / 8101 Single Grooming Arm	
FT-831 Air Lifting Grooming Table	
FT-832 Super Low Air Lift Grooming Table	

Operation Tables

\gg	FT-826 Multi-Function Operation Table	31
	FT-827 Rotational Operation Table	33
	FT-828 V-Top Operation Table	34
	FT-829 Operation Table with Light	35
	FT-824 / 825 / 825W Hydraulic Stainless Steel Operation Table	36
	ST-829 Stainless Steel Bi-Level Vet Tub	37
	FT-823S / 823M / 823L Exam Table	38
	KB-531 Mayo Table	38
	KB-520 Equipment Cart	39
	KB-521 S/S Cabinet Tools Cart	39

Cages

≥	KA-501 / 502 / 503 Stainless Steel Cages—Kennel Assembly	40
	KA-506 / 507 Aluminum Modular Cages	41
	KA-505 Professional Modular Cage System	43
	KA-504 Dog Crate	45
	KA-508 Stainless Steel Professional Modular Cage System	46

Trolleys


_		
	XB-511 Aluminum Portable Trolley	Λ
~	A KD-5 I I AIUIIIIIUIII FUITADIE ITUIIEV	

Exercise Pen

FP-4424 Fabric Playpen	
Puppy pen	

Air Purifier

OG-504 Photocatalyst Air Purifier	5!
OG-501 Twin Power Ozone Generator	5
OG-502 Ozone Generator	5









>	PR-001 Pet Ramp	5
	NG-002 Cordless Nail Grinder	5
	NG-003 Series Motor Nail Grinder	5
	DS-600 Dog Stacker	6
	Professional Grooming Apparel	6
	BTF-180 Fiberglass Bathing Tub with Adjustable Stand	6
	BTF-180E Fiberglass Bathing Tub with Lifting Base	6
	BTS-130 Stainless Steel Bathing Tub with Swing in / out Ramp	6
	BTS-85 Stainless Steel Bathing Tub	6
	BTS-145 Stainless Steel Hydro Bath	6
	Snake Chain	6
	Pet Steel Ropes	6

2010 Autumn Launched New Products

Quick Index

TD-9012X Wall Bracket for Dual Motor Dryer	5
TD-904S-PRO The 2nd Generation TD-904S	8
FT-841 Space Saving Folding Table	21
FT-842 Space Saving Folding Table With Cabinet	22
FT-831 Air Lifting Grooming Table	29
FT-832 Super Low Air Lift Grooming Table	30
FT-829 Operation Table with Light	35
FT-823S / 823M / 823L Exam Table	38
KA-508 Stainless Steel Professional Modular Cage System	46
BTS-145 Stainless Steel Hydro Bath	66



Narrow down by professionals

Groomers

TD-900X Hercules Dual Motor Dryer	5
TD-9012X Wall Braket for Dual Motor Dryer	5
TD-901S Stainless Steel Force Dryer	6
TD-900 / 901 / 902 Hosed Dryers	7
TD-9011 Groomer's Third Arm	7
TD-9012 Wall Bracket	7
TD-9013 Dryer Stand	7
TD-904S Supalite Handheld Dryer	8
TD-904S-PRO The Second Generation TD-904	8
TD-9041 Groomer's Third Arm	8
TD-906 Stand Dryer	9
TD-905 Wall-hanging Dryer	10
TD-907 Compartment Dryer	11
TD-908 Noise TerminatorCentral Dryer System	12
FT 811 / 812 / 813 Folding Grooming Table with S/S Leg	13
FT-8104 Nylon Table Harness	13
FT-8102 Clamp	13
FT-8101 Grooming Arm	14
FT-8103 Table Shelf	14
FT-812OV Oval Top Folding Grooming Table	14
FT-814 / 815 / 816 Folder Table with Powder-plated Leg	15
FT-830 / 830L Round Rotating Table	16
FT-821 Ultra Light Weighted Competition Table	18
FT-820 X-shape Competition Table	
FT-805C Round Hydraulic Table with Cabinet	18
FT-805 Round Hydraulic Table	20
FT-805 Round Hydraulic table FT-805REC Rectangular Hydraulic Grooming Table	
FT-841 Space Saving Folding Table	20
FT-841 Space Saving Folding Table with Cabinet	21
	22
FT-804 / 804L Hydraulic Grooming Table	23
FT-804E / 804LE Electric Lifting Grooming Table	24
FT-806 Super Stable Electric Lifting Table	25
FT 807 Fiber Class Buggy Lifting Table	27
FT-808 Low-Low Electric Lifting Table	28
FT-80401 / 80402 Over-Head Grooming Arm	28
FT-8105 Brand New Ultra-Portable Grooming Arm	28
FT-8106 / 8101 Single Grooming Arm	28
FT-831 Air Lift Grooming Table	29
FT-832 Super Low Air Grooming Table	30
KA-501 / 502 / 503 Stainless Steel Cages—Kennel Assembly	40
KA-505 Professional Modular Cage System	43
KA-506 / 507 Aluminum Modular Cages	41
KA-504 Dog Crate	45
KB-511 Aluminum Portable Trolley	47
OG-503 Photocatalyst Air Purifier	48
OG-501 Twin Power Ozone Generator	56
OG-502 Ozone Generator	57
NG-002 Cordless Nail Grinder	59
NG-003 Series Motor Nail Grinder	59
Professional Grooming Apparel	61
BTF-180 Fiberglass Bathing Tub with Adjustable Stand	62
BTF-180E Fiberglass Bathing Tub with Lifting Base	64
BTS-130 Stainless Steel Bathing Tub with Swing in / out Ramp	65
BTS-85 Stainless Steel Bathing Tub	65
BTS-145 Stainless Steel Hydro Bath	66
Pet Steel Ropes	68
CONTINUES CONTROL MODERNICO	

Trainers

Veterinarians	
Pet Steel Ropes	68
Snake Chain	67
BTS-145 Stainless Steel Hydro Bath	66
DS-600 Dog Stacker	60
PR-001 Pet Ramp	58
OG-502 Ozone Generator	57
OG-501 Twin Power Ozone Generator	56
OG-504 Photocatalyst Air Purifier	55
Puppy pen	52
FP-4424 Fabric Playpen	51
KB-511 Aluminum Portable Trolley	47
KA-504 Dog Crate	45
KA-508 Stainless Steel Professional Modular Cage System	46
KA-506 / 507 Aluminum Modular Cages	41
KA-505 Professional Modular Cage System	43
KA-501 / 502 / 503 Stainless Steel Cages—Kennel Assembly	40

FT-826 Multi-Function Operation Table	31
FT-827 Rotational Operation Table	33
FT-828 V-Top Operation Table	34
FT-829 Operation Table with Light	35
FT-824 / 825 / 825W Hydraulic Stainless Steel Operation Table	36
ST-829 Stainless Steel Bi-Level Vet Tub	37
FT-823S / 823M / 823L Exam Table	38
KB-531 Mayo Table	38
KB-520 Equipment Cart	39
KB-521 S/S Cabinet Tools Cart	39
KA-501 / 502 / 503 Stainless Steel Cages—Kennel Assembly	40
KA-505 Professional Modular Cage System	43
KA-506 / 507 Aluminum Modular Cages	41
KA-504 Dog Crate	45
KA-508 Stainless Steel Professional Modular Cage System	46
OG-504 Photocatalyst Air Purifier	55
OG-501 Twin Power Ozone Generator	56
OG-502 Ozone Generator	57
BTS-145 Stainless Steel Hydro Bath	66

Breeders

FT-821 Ultra Light Weighted Competition Table	17
FT-820 X-shape Competition Table	18
KA-501 / 502 / 503 Stainless Steel Cages—Kennel Assembly	40
KA-505 Professional Modular Cage System	43
KA-506 / 507 Aluminum Modular Cages	41
KA-504 Dog Crate	45
KA-508 Stainless Steel Professional Modular Cage System	46
KB-511 Aluminum Portable Trolley	47
FP.4424 Fabric Playpen	51
Puppy pen	52
PR-001 Pet Ramp	58
DS-600 Dog Stacker	60
BTS-145 Stainless Steel Hydro Bath	66
Snake Chain	67

TD-900X

HERCULES DUAL MOTOR DRYER

. The most powerful dual motor pet dryer in the world which provides amazing wind speed of over 72m/s (over 15000FPM). . HERCULES double motor dryer is built for durability and longevity, designed to literally blast water off wet coats for faster and more efficient drying. . The breakthrough technology of the HERCULES dryer presents to you the natural heating, quiet

and insulated operation. Hence improve productivity in your business. . The powerful motor delivers a high volume of regulated warm air to blast water from coats without damaging coats due to overheating. . A special designed solid state variable speed control device is the answer for various drying needs,

air temperature is steady from 35°C -65°C (95°F-149°F). • Weight just approximate 13lbs makes it a portable dryer, easy and convenient to be carried and handle anywhere you need. . Each unit is equipped with 3 meters (10ft) puncture-resistant, tripe reinforced flexible hose. A concentrator and a flare nozzle will handle all breeds and coats. . Constructed of rugged, durable steel and built to blast, with nonskid tabs on bottom. . Dual mounted legs, which allow both vertical and horizontal use. . Filter is washable



TD-9012X

Wall Bracket For Dual Motor Dryer

		Si	ngle		Packing				
ITEM	Net Weight	Gross Weight	Dimension	Volume	Box Figure	Gross Weight	Dimension	Volume	
	(kg)	(kg)	(cm)	(cbm)	(pcs)	(kg)	(cm)	(cbm)	
TD-900X	6.3	7.5	60×30×23	0.043	3	22.5	63×31×75	0.14	



TD-901S

STAINLESS STEEL FORCE DRYER

the most versatile dryer in our line. . Top grade SUS304 stainless steel promises a 10 year service life without any rust. . This stainless-steel, variable-speed dryer detaches from the workstation stand for use as a portable or floor dryer; the air nozzle swivels 360° for accurate drying. . Weighing just approximate 12lbs makes it a portable dryer, easy and convenient to be carried and handle anywhere you need; dual mounted legs, which allow both vertical and horizontal use. . Total steel made workstation stand available, which guarantee reliable stability against tipping; adjustable height from 95-119cm(37.5"-47") with the ease of touching one button; The angle of the hard tube could also be tilted as your need. . Equipped with a 3 meters puncture-resistant, triple reinforced, flexible hose, three nozzles, one silicone insulated jacket and a SUS304 hard tube. . Filter is washable and easy to

. A force blower, a finishing dryer and also an air massager,













TD-900/901/902

HOSED DRYERS

The breakthrough technology brings natural heating and quiet, insulated operation to improve productivity in grooming shops. Powerful, high velocity dryer delivers a high volume of warm air to blast water from coats without damaging coats with heat. Unbreakable "Incoloy" tubular heating element. Two-stage filtration and solid state variable speed controls. Two speeds allow you to control the airflow to suit your drying needs. Weighing just approximate 5 kg makes it a portable dryer, easy and convenient to be carried and handle anywhere you need. The unit has a 3 meters puncture-resistant, triple reinforced, flexible hose with three nozzle options, narrow concentrator, wide concentrator and air flare, to handle all-size pets and all coats. Constructed of rugged, durable steel and built to last, with non-skid tabs on bottom. Dual mounted legs, which allow both vertical and horizontal



		Si	ngle		Packing					Container	
ITEM	Net Weight (kg)	Gross Weight (kg)	Dimension (cm)	Volume (cbm)	Box Figure (pcs)	Gross Weight (kg)	Dimension (cm)	Volume (cbm)	20ft	40ft	
TD-900 TD-901 TD-902	5	6	44×31×24	0.032	4	25	65×47×51	0.156	680	1450	
ITE	м	TD-900		TD-90	1	TD-9	02				
		Later Control of the Control				The second second second	Carrier and Carrie				

ITEM	TD-900	TD-901	TD-902
Feature	Variable wind speed No temperature control	Variable wind speed and temperature	Two stage of wind No temperature control
Power	1100w	1600w	1100w
Air Speed	35m/s-45m/s	38m/s-48m/s	35m/s-45m/s
Heat	43°C	43°C65°C	43°C/ 53°C/ 60°C

TUV C (C C RoHS

TD-9013

Dryer Stand

TD-9012 Wall Bracket

Groomer's Third Arm

TD-904S

SUPALITE HANDHELD DRYER

Super Light weighted, only 0.8kg (28oz); No heavy burden on your wrist anymore.
 Small but mighty, providing amazing wind speed at 45m/s, one of the best score in this class.
 Brand new developed Johnson Motor with breakthrough technique brings a 14,000 hours ultra long lifespan and also quiet running.
 3 stage heating setting and 2 stage speed control, plus genuine tourmaline crystals and ionized concentrator included, ensure a fantastic user experience.
 Advanced tourmaline negative ions seals hair from moisture and uncurl dog hair to go straight as you wish, especially for the curly breeds like poodle, etc.





Removable Wind Concentrator

GROOMER S THIRD ARM

Free both hands for grooming with this convenient
attachment.
 Two heavy-duty spring clamps are attached
to a flexible 45cm cable to create a helpful "third arm".
 Perfect
for positioning handheld dryers.
 Clamps accommodate most
size of dryers and feature rubber tips that won't mar tabletops
or equipment.
 Gooseneck style cable can be positioned at
any angle to hold dryer where you need it to help you grooming
more efficiently.

		Si	ngle	Packing				
ITEM	Net Weight	Gross Weight	Dimension	Volume	Box Figure	Gross Weight	Dimension	Volume
(k	(kg)	(kg) (kg)	(cm)	(cbm)	(pcs)	(kg)	(cm)	(cbm)
TD-904S	0.8	1.2	25×27×10	0.006	10	14.2	26×29×102	0.07

TD-904 S-PRO

THE 2nd GENERATION TD-904S SUPALITE HANDHELD DRYER

Patented air inlet design brings much better noise control to this fantastic dryer. • Two rear cap options, bigger cap with noise reduction structure offers much quieter operation and small cap offers lighter hand feel. • 14,000 hours ultra long life motor allows almost 10 years service life averagely (running 4 hours per day).

7

TD-906

STAND DRYER

• The maximal wind speed of exit is as high as 38m/s. • Temperature range is from 25°C to 75°C. • A heavy duty 1 HP fan air-cooled brushless motor, solid state controls, calrod heating element, and air adjustment. • Variable air and temperature control, suitable for all kinds of breeds. • Provide hands-free fluff drying. • Non-slip sturdy stand, powder coated, with long lasting locking casters; • Balanced design provides better stability. • Dryer has a lovely orange epoxy finish. • Great technology breakthrough makes its noise much lower. • The filter is easy to clean, with washable foam. • Nozzle rotates 360°, E-Z to be positioned




TD-905

WALL-HANGING DRYER

Variable wind and temperature control. The maximal wind speed of exit is as high as 38m/s. Temperature range is from 25-75 Celsius Degree. Brushless motor, Maintenance free - no oiling or greasing of internal parts.
 Only 1800 watt, low energy cost. Running quiet, lower than 40 db. Fashion shape designed by Italian master.
 ABS surface of the body, resisting harsh chemicals and strikes. Outside-inside is two layers, preventing from over-heated. The nose is made of PPS material, resisting over 260 Celsius Degree high temperature.
 Hanging arm could be lifted and lower for approximately 13 thousand times.











TD-907

COMPARTMENT DRYER

· Automatic shut-off timer, could be set from 5-60 minutes. · Suitable for all breeds of dogs and cats, especially the older and skittish ones. . Running amazingly quiet, virtually vibration-free, could please even the most sensitive animals. . High wind pressure, blast water from under coat. . Solid state control to switch wind and temperature; . The breakthrough technology of PTC control, keep the temperature safe, steady from 35°C to 50°C. . Two powerful motors, ultra high volume of 2,700 cubic feet of air per minute---enough to dry up a golden retriever in about 25 minutes. · Efficient and reasonable air exchange model, make sure the humidity low all the time and enough fresh air for dog. . Entire stainless steel faceplate and grill, easy to clean and sterilize, last for long time. . Ozone function, remove the odor away and refresh the air inside; (Attention: Must not use ozone when have dog inside) . Foolproof operation, hands



free from put-in to take-out. • Dimensions: 126×66×107.5cm(h); inner size 81×65×69cm(h)



Heavy-duty Zinc Die-casting Hinge



Complete Stainless Steel Internal Surface





Fresh Air Intake

Flat Face Standing Grid

Net Weight Gross Weight Dimension Volume 20ft 40ft (chm) (kg) (cm) TD-907 110 155 126×107.5×66 0.89 24 48



TD-908

NOISE TERMINATOR -- CENTRAL DRYER SYSTEM

THE TERMINATOR OF THE DISEASES CAUSED BY NOISE

If you are a groomer, have you suffered enough of the endless noise from dryers in your working environment?

If you are a pet shop owner, have your ever heard the complaints from your groomers about the irritable noise?

If you are a salesman of professional equipment for pet shops, have you seen the scowl on your potential customer's face for the avoidless noise?

If you are a boss of the equipment distributing company, have you gotten any suggestion or requests about the quiet running dryer?

If you are a doctor, have you ever received any patient who's bearing the pain from high blood pressure, heart disease or tinnitus, caused by noise?



One-Button-Start Manual Switch on Nozzle Everybody knows noise is not good for people's health, since it may trigger many potential diseases, but what diseases will actually be caused by noise?

Here are some researching results from different channels; maybe we can take these as some reference.

"In accordance with the noise stress hypothesis chronic stress hormone dysrequiations as well as increases of established endogenous risk factors of ischaemic heart diseases have been observed under long-term environmental noise exposure. Therefore, an increased risk of myocardial infarction is to be expected. "According to the Environmental Expert Councit, these studies show a consistent trend towards an increased cardiovalacular risk if the daytime immission level exceeds 65 dB(A)."

Source: Noise and Health, Volume 6, Number 22, Jan - Mar 2004, pp. 5-13(9), from Environmental Expert

"What we found - somewhat unexpectedly - was that the people most exposed to sircraft noise had high blood pressure, says Göran Pershagen, a professor is environmental medical epidemiology at the Institute of Environmental Medicine Karolinska Institute and continues

Even though this is a completely new finding, we have been able to confirm that people who are exposed to loud aircraft noise run the risk of developing high blood pressure. We must do more research about these serious effects to see at what levels they occur."

Source: Gunnel Bergström from Stress Research Institute at Stockholn

"For the new study, researchers examined a database of more than 6,000 employees ages 20 and older who were surveyed about lifestyle, occupation and health. The participants were grouped according to those who endured loud noise at work (meaning it was difficult to talk at a normal volume) for at least three months and those who did not experience loud noise. The study found 21% of workers, mostly men, endured noisy workplaces. They were two to three times more likely to have heart disease compared with workers who did

Source: Shari Roan from Los Angeles Times

*Causes of ear tinnitus can be defined as follow: Exposure to very loud noise. Internal structure of human ear is very complex and sensitive. Those hearing cords get affected by very harsh, loud noise. The vibrations of the dealening sound hurt the internal structure of ear which causes this disease. Machine operators, factory workers, welders develop ear tinnitus in their mid-forties.

. Therefore, we could know noise is the direct cause which triggers many occupational diseases. To avoid these above potential diseases and protect groomer's health; we have spent years of time on researching the noise reduction technology on pet dryers.

· Finally, a great breakthrough has been made to realize our dreaming aim.

10m Ultra Long

Flexible Hose

- . We name it after Noise Terminator, which is a combination of many advanced technologies, including the Noise Conduction Control in Solid, Noise Absorption, Noise Transmitting in Air, etc. . After this epoch-making technology was used on our Central Dryer System, the noise has been reduced to an amazing level at about 65dB, which is a fabulous achievement in the field of pet dryers.
- The system can play the role of two powerful dual motor dryers, so that you could blow two dogs at the same time. If necessary, that's even possible to make it more powerful to have four dryers inside with four individual wind outlets
- . Two 10m long flexible hoses going along an extendable bar will induce the 72m/s high speed wind from the working center to the top of grooming table. The hoses can be mounted to the ceiling of the room, then the hoses could be protected better and avoid the unnecessary damages. A smart designed spring balancer, with the vertical part of the hose attach to, will lead the hose from ceiling to your working location; when you need to use the dryer, just pull the nozzle down gently, then put it back easily when all the works finished. The most amazing part is, you are able to control the dryer conveniently by pressing the button on the hand holding part, the round nozzle. That's not necessary for you to walk to the working unit to switch it on or off during your busy time. One-Button-Start system brings a much pleasant customer experience to you, . You can place the working unit in grooming room, which looks like a cabinet, or put it out of the room to cut the noise 100% off.
- . Ergonomic, people friendly and easy to use design brings you extraordinary experience on this brand new dryer system, and also brings much healthier and more pleasant working environment.
- . After all, no matter how much money you earn, health is still priceless, right?

FT-811/812/813

FOLDING GROOMING TABLE WITH S/S LEG

- Non-slip pure rubber matting, pyramidal pattern, scraping resistant and easy to clean.
- Striking desktop, reduce the visual fatigue during long hours working.
 Static-free board, easy to clean the eliminate hair and debris.
 Waterproof 7-Layer plywood top.
 Elastic PVC edging, resists scratches and hauls.
 Stainless steel tubular steel leg.
 Featured design support brackets, available for heavy weight.
 32mm diameter strong leg and steel reinforced rubber caps make the table ultra high stabilization.
 Folds easily for storage.

array.	Net Weight	Gross Weight		Dimension(cm)		Volume	Contair	er(pcs
ITEM	(kg)	(kg)	Stand	Fold	Package	(cbm)	20ft	40ft
FT-811	10.7	11.7	75×47×81	83×47×10.5	85×49×11.5	0.048	430	960
FT-812	13.3	14.7	90×60×76.5	90×60×10.5	92×62×11.5	0.066	330	750
FT-813	14.8	16.5	120×60×66	120×60×10.5	122×62×11.5	0.087	240	560
	Pi	nk Blac	k Brieg	Green	Light Blue	Dark Bli	ie: F	urple
	Pi	nk Blac	k Grey	Green	Light Blue	Dark Bit	30. F	

FT-8104

Nylon Table Harness

• Tight knitted nylon fibers. • Special designed decorated sleeve.




Clam

 Die pressing, unique designed structure, strong enough to afford fierce pull.
 Silver powder-coated finish.

Table Shelf

- . Strong enough to keep most your essential grooming tools.
- Black powder-coated finish.
 1" shelves wire grid keeps small items from slipping through.
 Each sized grooming table, small, medium and large has the fit shelves.



FT-8103










Grooming Arm

- Stainless steel.
 With holes inside for hanging ropes.
 Sectional type, available in two ways.
- . Adjust at any height, from 60-110cm.

FT-8120V

OVAL TOP FOLDING GROOMING TABLE

• The oval top will help you maximize your work area. • The smaller footprint than normal rectangular tables will allow you to be more closer to pets. • Ease of use for small space shops.



7-COLOR OPTIONS

	Net Weight	Gross Weight		Volume	Container(pcs)			
ITEM	(kg)	(kg)	Stand	Fold	Package	(cbm)	20ft	40ft
FT-8120V	11	12.5	90×60×76	90×60×10.5	92×62×11.5	0.068	330	750



FT-814/815/816

FOLDING TABLE WITH POWDER-PLATED LEG

- Classic supporting structure, super stable.
 Powder painted legs, antirust and nice looking.
- Rubber mat, diamond pattern, scraping resistant and easy to clean.
 Many colors to choose,

see below swatches. • Economic price,ideal choice for budget sensitive salons.



FT-830/830L

ROUND ROTATING TABLE

Stainless steel ball bearing, rotates completely for easy grooming of toy breeds.
 The grooming arm turns smoothly at your touch, and holds still when you let go-allowing you to stay in one position while grooming all sides of dog.
 Ergomonic and human oriented design, reducing the groomer's workload.







821P (Purple)

821G(Gold

821B(Blue)

ULTRA LIGHT WEIGHTED COMPETITION TABLE

Oxidizing treated colors remains for life long time, many options available, purple, golden, blue, and silver, etc. • A dreamlike colorful competition tables will bring you into a show ring in Wonderland.
 Skid-proof, comfortable touch feeling. • Ultra-light weight, only 3.5 -4.8kg (7.7 -10.5lbs), even a little girl could carry this beautiful competition table for her father. • Total Aluminum, long life, most appropriate product for dog show. • Big enough to put most medium breed dogs which need to be trimmed on. • Foolproof folding, only two actions, pulling and carrying, is enough to fold this cute table into a small panel.

ITEM	Net Weight	Gross Weight	D	Volume	Container(pcs)			
HEM	(kg)	(kg)	Stand	Fold	Package	(cbm)	20ft	40ft
FT-821H	3.7	4.2	60×45×81	89×45×7	94×48×8	0.036	750	1700
FT-821HM	4.8	5.3	75×50×76	97×50×7	99×53×8	0.042	700	1600



FT-820

X-SHAPE COMPETITION TABLE

Most appropriate product for dog show, super light weight;

Big enough to put most dogs which need to be trimmed on;

 Foolproof folding, only two actions, pulling and carrying, is enough to fold this cute table into a small panel.



17714	Net Weight	Gross Weight	D	Volume	Container(pcs			
ITEM	(kg)	(kg)	Stand	Fold	Package	(cbm)	20ft	40ft
FT-820	6.4	7	60×45×71	82×45×7	84×47×8.5	0.036	750	1700
FT-820H	7.2	8	60×45×81	89×45×7	94×47×8.5	0.038	700	1600
FT-820M	8.4	9	75×50×71	89×50×7	91×52×8.5	0.040	650	1400
FT-820HM	9.3	10	75×50×76	97×50×7	99×52×8.5	0.044	600	1300



FT-805C

ROUND HYDRAULIC TABLE WITH CABINET

 Very practical design for groomer's daily operation. Three drawers and one small cabinet is useful when the groomer want to collect and sort handheld dryers, combs, shears, clippers and any other tools. . Also hydraulic controlled, could be lift from 70-84 cm.

Net Weight		Gross Weight	Dimer	nsion(cm)	Volume	Contain	ner(pcs)
ITEM	(kg)	(kg)	Stand	Package	(cbm)	20ft	40ft
ET OOSE	25	38.5	Ø70×75-89	71×71×10	0.050	200	460
FT-805C	35	38,0	07U×75-89	50×30×41	0.068	200	460

C01	C02	C03	C04	C05	C06

Cabinet colors to choose.



FT-805

ROUND HYDRAULIC TABLE

 It swivels 360° for easy access to the entire pet, and brakes in place. The work surface is round, solid, non-slip, omni-directional ribbed rubber-will not shrink or loosen. . The top quality of hydraulic pump, with warranty for five years. . 7 colors available. . Foot pump operated table adjusts from 70 - 84cm for maximum comfort and grooming efficiency.

orra.	Net Weight	Gross Weight	Dimension(cm)		Volume	Container(pcs	
ITEM	(kg)	(kg)	Stand	Package	(cbm)	20ft	40ft
FT-805	22.5	25	Ø70×71.5-84	71×71×10	0.050	220	480
F1-803	22.5	25	070×71.5-84	39×39×40	0.061	220	480



7-COLOR OPTIONS



FT-805REC

RECTANGULAR HYDRAULIC **GROOMING TABLE**

. H-Frame base to prevent wobbling. . Featured top that swivels 360 degrees for easy access to entire pet. . Locks in place in any position. . Premium non-slip rubber surface that will not shrink or loosen. . Table adjusts from 28"(70cm) to 33"(84cm). • Outstanding quality italian style hudraulic pump mechanism.

ITEM	Net Weight	Net Weight Gross Weight		Dimension(cm)		Container(pcs	
	(kg)	(kg)	Stand	Package	(cbm)	20ft	40ft
FT-805REC	46.5 49.8	40.0	90×60×70-84	91×61×10	0.055	125	250
			71×51×40	0.144	123	250	



7-COLOR OPTIONS



• Without moving any objects from the shelf, a simple pull on the wall mounting clip lowers the table to the suitable position and the shelf becomes the foot of the table. • The center of gravity of the shelf remains perpendicular to ground when moving the table top, since the shaft turns really smoothly. • A perfect solution for the space sensitive grooming shops, especially the small or mini shops, balances the off season and rush season; you can enlarge your working area and add more platforms in 5 seconds in the rush season and also fold it up to leave more space in off season. • 100cm×60cm table top with 80cm height when leg fold down. • 15cm wide shelf board offers great stability when table standing, and also play the role of a tools shelf when table top folded up. • A special designed stopper ensures the leg won't be knocked down however you kick unconsciously to avoid any potential risk caused by table top falling-off. Why we need to a stable top falling to a stable top falling to a stable top stable top falling to avoid any potential risk caused by table top falling to a stable top stable top falling to avoid any potential risk caused by table top falling to avoid any potential risk caused by table top falling to avoid any potential risk caused by table top falling to avoid any potential risk caused by table top falling to avoid any potential risk caused by table top falling to avoid any potential risk caused by table top falling to avoid any potential risk caused by table top falling to avoid any potential risk caused by table top falling to avoid any potential risk caused by table top falling to avoid any potential risk caused by table top falling to avoid any potential risk caused by table top falling to avoid any potential risk caused by table top falling to avoid any potential risk caused by table top falling to avoid any potential risk caused by table top falling to avoid any potential risk caused by table top falling to avoid any potential risk caused by table top falling to avoid any pot

SPACE SAVING FOLDING TABLE

Why we need the space saving tables?

To arrange the working area properly is a real challenge for every owner of pet shops, because they always feel there are too few grooming tables when needed in busy season, such as the peak time before every Christmas; and no place to stock the extra tables when not needed at ordinary times.


The new launched Space Saving Grooming Table series is the best answer to the above problem, which could balance the rush and off season perfectly.

One or two quickly added grooming tables will be a great helper when you need them in a hurry, then the shelf and storage cabinet are still very practical

furniture for your grooming room when the table's not needed.



ITEM Net Weight Gro	Gross Weight	ght Dimension(cm)		Volume	Container(pcs)		
	(kg)	Stand	Package	(cbm)	20ft	40ft	
FT-841	19.00	21.00	110×60×80(h)	112×62×24(h)	0.167	174	363



22

FT-804 Series

HYDRAULIC GROOMING TABLE FT-804/804L

• Rock-solid at any adjusted height, from 51.5-101cm. • Outstanding quality of hydraulic pump, continuously used for 50,000 times. • Silver vein surface, antistatic baked epoxy finish for durability. • Unique "Z" shape design eliminates wobbling and tipping. • Belgium-made poly-board. • Elastic PVC edging, resists scratches and hauls.

• All metal-edge, durable and long-lasting. • Removable desktop and easy to clean.




ITEM Net Weight		Gross Weight Dimension(cm)		Volume	Contain	er(pcs	
ITEM	(kg)	(kg)	Stand	Package	(cbm)	20tt	40ft
FT-804	46	49.7	96×65×51.5-101	97×67×52	0.338	66	144
FT-804L	48.2	52.7	126×65×51.5-101	127×67×52	0.442	50	110
FT-804E	46	49.7	96×65×65.5-106	97×67×67	0.435	60	127
FT-804LE	49.2	53.7	126×65×65.5-106	127×67×67	0.570	37	78

The Table Top is Removable.



ELECTRIC LIFTING GROOMING TABLE FT-804E/804LE



SUPER STABLE

ELECTRIC LIFTING TABLE

The best feature of this table is S-T-A-B-L-E. ● Four vertical bars holding the table top even lifted to maximum and the center of gravity is still in the middle. ● Unbelievable stability against wobbling or tipping, realize the safest electric lifting table in the market. ● The minimum height is 36cm (14") when lifted down to bottom, provides much smaller packing size and much lower start point height. ● The outer packing size is only 128cmx67cmx38cm (50" x26" x15"), which means the container load will increased by 24%. We could even load 7 layers of this table into a 40'HQ. The height could be adjusted from 36cm to 104cm (14" to 40"), satisfy most daily grooming purpose.

ITEM Net Weight (kg)	Net Weight	Gross Weight	Dimensio	on(cm)	Volume	Contain	er(pcs)
	(kg)	Stand	Package	(cbm)	20ft	40ft	
FT-806	50	53.3	126×65×36-104	128×67×38	0.330	71	145









- Rising Velocity: 13mm/s (off-load) / 11.5mm/s (63kg loading)
- Descent Velocity: 14.5mm/s (off-load) / 15mm/s (63kg loading)
 Voltage: 110V-120V / 220V-240V Control Unit: Two Pedal Plates
- (manual switch available)

1. More Stable Structure.

· Highlight:

Four vertical bars holding the table top even lifted to maximum and the center of gravity is still in the middle.

2. Much Smaller Packing Size.

As the table could be lifted down to 36cm (including the adjustable levelers), so the outer packing size is only 128cm×67cm×38cm, which means the container load will increased by 24%. We could even load 7 layers of this table into a 40°HQ.

3. Bigger Regulation Range.

The height could be adjusted from 36cm to 104cm, which will satisfy most daily grooming purpose.





FIBERGLASS BUGGY LIFTING TABLE

. Two bright colors to choose, pink and yellow, with featured paws' patterns ornament on the surface to keep skid-proof.

 Patented lifting caster structure, allows the table to keep definitely stable when casters lifted up and outstanding mobility when down to ground. . Foolproof manual buttons to control lifting up and down; the height can be adjusted from the 54-100cm (21"-40"), to ensure easy step-up access for pet and also right ergonomic height for groomer. Practical storage portion design, allows groomers to place brush, spray, blade and scissor easily and conveniently. . Warm touch feeling surface, provides very special feature as a crash cart; you could put the injured pets onto this buggy from ambulance or owner's car then transport to operation room directly. . Super long lasting life of the fiberglass material, offers a 50 years use life for this tabletop. . The loading capacity is 200kg (400lbs), strong enough to hold any breeds; with both single grooming arm and over-head arm available to fix dogs firmly. . The most functional, convertible and versatile table in our table line. Size: 115cm×60cm×54-100cm(45"×23.5"×21"-40")



Hand-pressing Control Unit



Featured Paw Print Skid-proof **Ornament Pattern**



Net W	Net Weight	Gross Weight	Dimension(cm)		Volume	Container(pcs)	
ITEM	(kg)	(kg)	Stand	Package	(cbm)	20ft	40ft
FT-807	37	39	115×60×54-100	117×62×58	0.42	53	106



Storage Portion for



FT-808

LOW-LOW ELECTRIC LIFTING TABLE

. The lowest point of this table is only 21cm (8.3"), which is probably the lowest one in the world, provides the easiest step-up access for pets, even the mature and seriously ill ones. . SKF ball bearing in actuator parts, offers smooth and no-vibration operation, and also long-term reliable running. . The innovative X-style frame, with powerful and quiet motor, accompanied with both manual and foot pedal, brings a wonderful customer experience. . Removable tabletop, easy to clean, realizes the possibility to change the color into more personal and fashionable styles. . Outstanding loading capacity of 150kg (300lbs), is strong enough for most breeds. Size: 126cm×65cm×21-100cm (50"×25.5"×8.3-40")





ITEM -	Net Weight	Gross Weight	Dimen	sion(cm)	Volume	Contain	ner(pcs)
	(kg)	(kg)	Stand	Package	(cbm)	20ft	40ft
FT-808	46	49	125×65×21-101	127×67×24	0.2	130	250



AIR LIFT GROOMING TABLE

• The 70cm diameter table top swivels 360° smoothly, with a ball bearing underneath, make it possible to view the dog from any angle easily. Easy-to-Control air lift base offers a big adjustable operation range from 82cm -122cm; you will be able to find the right comfortable height for yourself no matter how tall the dog is. ● Smart designed metal base with anti-scratching white vein powder coating brings reliable stability and durability. ● A set of aluminum clamp and stainless steel bi-purpose grooming arm is equipped. ● 7 colors available for the table top rubber mat.





Easy Press-down Air Switch



Ball Bearing under Table Top

Net Weight		Gross Weight	Dimen	sion(cm)	Volume	Contain	er(pcs
ITEM	(kg)	(kg)	Stand	Package	(cbm)	20ft	40ft
FT-831	21.50	23.50	Ø70×82-102(h)	82×72×42	0.25	110	230

FT-832

SUPER LOW AIR LIFT GROOMING TABLE

• The operating top size is 120cm×60cm, which is enough to satisfy any kinds of large and giant breeds.
• The collapsed height reaches unbelievable 15cm, which is almost the same thickness like a normal folding table when folded up. • The ultra small packing size brings super big container loading quantity as 425 sets (40ft). • It could also be lifted up to 75cm at the Max height, so you would be able to find the most comfortable and effort-saving position in the

range between 15cm to 75cm. • Using the easiest way to lift the table up by moving the air pump switch by one finger, this brand new air lift table brings unforgettable customer friendly experience.







One Finger Moving Air Switch Special Caster with Friction Force



Net Weight		Gross Weight	Dimensi	Volume	Container(pcs		
ITEM	(kg)	(kg)	Stand	Package	(cbm)	20ft	40ft
FT-832	32.50	34.50	120×60×15-75(h)	122×68×16.5	0.137	200	425

Operation Table

FT-826

MULTI-FUNCTION OPERATION TABLE

Breakthrough three boards operation system, make it possible for you to enlarge your top size from 19" wide 28.5" wide, which is the only one with this function in the world. (Patented) • Two side panels could adjust from horizontal to near vertical to hold the patient in the desired position during surgery. Overall size of the top: 19"w x 58"l, when two boards on the top. • The side boards could rotate from 0-45 degrees. • E-Z controlled worm bar driving system, provide perfect user experience when you want to lean the table top to a certain angle, from 0-45 degrees available. • Stainless steel operating table top with leaning function, convenient for all kinds of animal; • Superior quality table is rock-solid at any height, adjustable from 21.5" to 42"; • Each board is 9" wide, designed on the basis of ergonomics, close to the length of the front arm of a vet; • Two blood grooves under the top boards; • Special fixing structure to hold animals with metal chains.



Net Weight		Gross Weight	Dimension(cm)		Volume	Container(pcs	
ITEM (kg)	(kg)	Stand	Package	(cbm) 2	20ft	40ft	
FT-826	60	65	145×57×55-107	147×59×57	0.494	46	102



Sliding Side Panels and Removable Middle Panel Extend Operating Surface



Swiveling Side Panels with Adjustable Angle from 0 -45 Degrees



Smart Worm Bar Driving System Ensure Variable Angle for Work Face

ROTATIONAL OPERATION TABLE

• 49"(L)x24"(W) flat top. • Table can be lifted from 50cm to100cm (20"-40"). • Flat top can revolve 360 degrees, tilt to let the water inpour into the pot. • Directional gas spring with a pull-up control panel secures the top in almost any position, from horizontal to near vertical. • Imported NSK ball-bearing • Full-automation improves the work more efficient and makes the work easier. • Powerful and durable electric lifting actuator holds 150kg (300lbs) on the surgery top. • Two sliding, quick-release, E-Z control attachments are provided on each side of the attachment rail to offer secured pet restraint. • Raised center permits fluid run-off into a perimeter trough and to a drain outlet.



ITEM N	Net Weight	Gross Weight	Dimens	sion(cm)	Volume	Contain	er(pcs)
	(kg)	(kg)	Stand	Package	(cbm)	20ft	40ft
FT-827	60	63	125×60×55-100	126×63×60	0.48	56	100

with Brake

FT-828

V-TOP OPERATION TABLE

• A two panel system that adjusts from horizontal to near vertical to hold the pets in the desired position during surgery. • Overall size of the top: 20"Wx 55"L. • Powerful and durable electric lifting actuator holds 150kg (300lbs) on the surgery top. • Two sliding, quick-release, E-Z control attachments are provided on each side of the attachment rail to offer secured pet restraint. • A 10cm (4") stainless steel trough permits fluid runoff into a drain outlet. • Table can be lifted from 28"to 67". • Worktop Swivel Angle: 0°~45°





Sliding Drain Outlet



Adjustable Operation Surface Angle



Variable Angle Fixing Handle



Side Panel Fixture Handle

ITEM	Net Weight	Gross Weight	t Dimension(cm)		Volume	Container(pcs)	
HEM	(kg)	(kg)	Stand	Package	(cbm)	20ft	40ft
FT-828	70	73	140×50×70-120	143×53×73	0.55	49	87

OPERATION TABLE WITH LIGHT

• A practical working table top size of 120cm×60cm, with a super big adjustable range from 36-104cm. • Built-in background light ensures a more relax user experience, especially when considering the easing effect of groomer's eye using effort. • LED luminous panel provides better diffused gentle lighting, much longer service life and much less electricity consumption. • A soft transparent silicone mat is equipped, to offer better skid-proof feature. • It could serve as either an operation table or a grooming table.



FT-824/825/825W

HYDRAULIC STAINLESS STEEL OPERATION TABLE

Rock-solid table with all stainless steel surface and reinforced construction that
eliminates wobbling and tipping.
 Hydraulic foot pedals control the height from
 51.5-101cm.
 With a steel basin at one side of the surface.
 110cm high pole to

51.5-101cm. • With a steel basin at one side of the surface. • 110cm high pole to hang the transfusion bag. • FT-825W means FT-825 with wheels.



1773.4	Net Weight	Gross Weight	Dimension(cm)		Volume	Contain	er(pcs
ITEM	(kg)	(kg)	Stand	Package	(cbm)	20ft	40ft
FT-824	45	49	90×60×51.5-101	95×65×56	0.346	66	144
FT-825	47.2	51.7	120×60×51.5-101	125×65×56	0.455	50	110
FT-825W	48	52.5	120×60×56.5-106	125×65×56	0.455	44	100
FT-825E	46	49.7	120×60×65.5-106	125×65×70	0.569	48	108

ST-829

STAINLESS STEEL BI-LEVEL VET TUB

Manufactured with seamless weld construction from SUS304 stainless steel, which could stay at perfect status without any rust. • The tub is sturdily supported by four stainless steel tubular legs which feature fully enclosed gussets and adjustable feet. • The shallow portion of the tub tapers is 4.5" deep before dropping to a 21.5" depth. The inner dimensions measure 20"w x 57"l, and the outer dimensions are 24"w x 61"l. The height to the tub top is 39.5", and to the bottom of the tub is 12". • The drain opening is designed for a 3 1/2" diameter standard drain. All holes for the faucet and drains are pre-drilled. • Stainless steel flat surface grill included.





Flat Surface Floor





Two Panels are Removable

ITEM Net Weight (kg)	Gross Weight	Dimension(cm)		Volume	Container(pcs)		
	(kg)	Stand	Package	(cbm)	20ft	40ft	
ST-829	60	71	155×60×100	158×63×102	1.01	26	48

Pre-drill Faucet Holes

FT-823S/823M/823L

EXAM TABLE

- 1.0mm thick stainless steel surface, with girders underneath.
 Strong standing wall around and hooks under the walls, which ensure that animals could be fixed on the table.
- . With a hole at one side of surface to collect waste residue into a stainless steel basin.
- A shelf underneath could keep essential tools ready for you.
 304 good-quality stainless steel board, sturdy, easy to clean up.
 170cm high pole to hang the transfusion bag.
- Eight tri-angle reinforce structure stabilize the table.

	Net Weight	Gross Weight	Dimensi	on(cm)	Volume	Contain	er(pcs)
ITEM	(kg)	(kg)	Stand	Package	(cbm)	20ft	40ft
FT-823S	18.0	20.0	75×50×85	77×52×17	0.07	380	820
FT-823M	25.5	27.5	90×55×80	92×57×17	0.09	300	640
FT-823L	33.2	35.5	120×60×80	122×62×17	0.13	210	440



Flat Transportation Packing

KB-531

MAYO TABLE

• Compact size, but large enough for most surgical procedures. • Stainless steel tray measures 17.5"×13.5"×1.5"d (44cm×34cm×4cm) • Easy-slide extension posts allow height adjustments from 31.5" (80cm) to 44" (112cm). • Legs and base are constructed of 1" SUS304 stainless steel tube. • Specialized medical equipment casters, with pressed

 Specialized medical equipment casters, with pressed Aluminum bracket and high quality ball-bearing.

	Net Weight	Gross Weight	Dimens	sion(cm)	Volume	Contain	ner(pcs)
ITEM	(kg)	(kg)	Stand	Package	(cbm)	20ft	40ft
KB-531	4	5.2	44×34×80-112	45×35×81	0.128	200	440



KB-520

EQUIPMENT CART

High class 304 stainless steel.
 Smooth flat surface easy to clean.
 Two boards, available for heavy weight.
 Strong enough to keep

all your operation tools. • Four long lasting casters, two with brake.

ITEM Net We	Net Weight	Gross Weight	Dimens	Dimension(cm)		Container(pcs)	
	(kg)	(kg)	Stand	Package	(cbm)	20ft	40ft
KB-520	10	12	64×41×78	66×43×80	0.227	105	220

KB-521

S/S CABINET TOOLS CART

Stainless steel construction, practical and functional design.
 Two big drawers and 9 stainless steel cups for daily tools storage conveniently.
 Smooth surface easy to clean, you could also use a flamegun to eliminate dirts.
 Stainless steel tray for tools collection and wastebin hanged on the side of cart.
 high quality universal casters with lock, easy to control, with long lasting service life.

ITEM Net Weight (kg)	Gross Weight	ross Weight Dimension(cm)		Volume	Container(pcs)		
	(kg)	(kg)	Stand	Package	(cbm)	20ft	40ft
KB-521	28	29	50×65×90	52×66×93	0.32	85	150

KA-501/502/503

STAINLESS STEEL CAGES—KENNEL ASSEMBLY

1.2mm thick high-quality SUS304 stainless steel material, bite proof and vibration proof, very sturdy; • Easy to attach together with strong stainless steel hardware, structure steady; • The horizontal is connected by latches, and vertical by metal sleeves; the sleeves of upper kennels will secure the lower ones, covering the vertical joints; • Four small ones, three medium ones and two large ones will be an assembly, or two small and one large, detailed as follows.

	Net Weight	Gross Weight	Dimension(cm)		eight Dimension(cm)		ross Weight Dimension(cm) Volume		Volume	Contair	er(pcs
ITEM	(kg)	(kg)	Stand	Package	(cbm)	20ft	40ft				
KA-501	20	23	60×72×60	70×76×16	0.085	286	618				
KA-502	32.7	36.7	80×72×76	82×77×16	0.100	240	510				
KA-503	36.2	40.2	120×72×76	121×77×16	0.149	160	330				



KA-507 SERIES /KA-506 SERIES

ALUMINUM MODULAR CAGES



Obviously stainless steel is an ideal choice for vet cage or salon show cage, but the unsteady price of S/S material has become nightmare of many factories. Aluminum could play the role of the best substitute of stainless steel, from the rustproof feature, strength, durability and comparatively acceptable price. At the same time, aluminum has some better features than stainless steel, for example light-weight, easy to process with, etc. Our brand new aluminum modular cage system is the perfect solver, with uniquely convenient assembling methods. Every cage, no matter large or small size, could be folded into an 8cm (3") panel, including the space of waste tray and standing grid, which will save much more packing size. At the same time, you only need to spend 15 seconds to set up one cage, which should be the best record in the assembly cages, saving a lot of time and labor cost for us. By the way, the mobility is enhanced by handles and casters. If we fix a set of wheels and handles to the cage, it will be able to be transformed into a trolley easily. A wonderful option for pet shop owners.



SUPER FUNCTIONAL ASSEMBLY SYSTEM



Featured Coin Driven Screw



Cage Joint Spacer



Cage Side Joint Latch



Clip To Hold Cage Roe



(kg)

14.7

19.1

24.5

10.7

13.8

17.2

Front Door Stopper

| Net Weight | Gross Weight |

12.7

17.1

22.5

8.7

11.8

15.2

ITEM

KA.506S

KA-506M

KA-506L

KA-507S

KA-507M

KA-507L



Foldable Handle

0.12 210

0.24 100 230

0.07 370 800 0.12 210 460

0.12 210 0.24 100

Volume | Container(pcs)

460

Dimension(cm)

156×95×16

95×76×16

156×95×16

60×72×60

80×72×76

120×72×76

60×72×60

80×72×76

120×72×76



Flat Face Grid



KA-506 Aluminum waste Traj



KA-507 Waste Tray



ray Stopper

43

KA-505

PROFESSIONAL MODULAR CAGE SYSTEM



This professional modular cage system includes everything you need (pans, grates and cage connectors) to build a kennel area unique to your space and needs. Specially engineered and designed for safety, strength durability and longevity. Unique auto-closing latch system, provide easy and convenient customer experience. Brand new Flat-Face standing grill, no need to worry about the interdigital infection of pets when standing long on the round wire made gauge grill. Add mobility and versatility with a frame and large cage dividers. Cage are made of heavy-duty 20 gauge zinc plated steel with electrostatically powder coated exterior and interior. Off-white color matches any decor and does not show dirt. Removable doors, dividers, floor grates and pans allow for easy cleaning. Mobile platforms are perfect if kennel banks will need to be moved or rearranged. They are equipped with large 5" heavy duty zinc plated casters which rotate 360° for easy maneuverability. The front wheels lock allowing kennel assembly to remain stationary between moves. A brand new group of liquid guide plates are added to ensure no urine or waste water could flow or leak out along the side wall. The grid and waste tray are treated by plastic dip coating, which means the tray and grid won't rust at all, unless the surface coating is broken or scratched by sharp objects. The service life has been extended a lot.





One-handed Latch



Denser Wire at Latch Part



Cage Divider



Coin-driven Screws



Plastic Dip Waste Tray & Grid



Liquid Guide Plates & Rubber Seal




	Net Weight	Gross Weight	ght Dimension(cm)		Volume	Container(pcs)	
ITEM	(kg)	(kg)	Stand	Package	(cbm)	20ft	40ft
KA-505S	13.6	15.6	44×50×56	58×52×16	0.048	540	1160
KA-505M	19.5	21.5	55×75×66	68×77×16	0.083	310	670
KA-505L	28.3	30.3	110×80×66	134×82×16	0.177	145	315

http://www.toex.cn

KA-504 Series

DOG CRATE

 Bright Zinc Plating-provides added protection with a show appearance.
 Safe finish won't rub off on dog dry or wet.
 Convenient-top and side door openings.
 Smart folding desgin, only 2.5"(6.5cm) thick after folding. . Strong 3.5mm and 2.5mm wires welded up, bent-over prevented.



ITEM	Net Weight	et Weight Gross Weight Dimension(cm)		on(cm)	Volume	Container(pcs	
HEW	(kg)	(kg)	Stand	Package	(cbm)	20ft	40ft
KA-504S	11	13.2	107×107×92	110×95×6.5	0.068	350	790
KA-504M	12.5	14.5	122×122×76	125×79×6.5	0.064	370	840
KA-504L	16.5	18.6	122×122×102	125×105×6.5	0.085	282	630
KA-504XL	18	20	122×122×122	125×125×6.5	0.100	240	540

KA-508

STAINLESS STEEL PROFESSIONAL MODULAR CAGE SYSTEM

 SUS304 stainless steel material, bite proof and vibration proof, very sturdy. . Easy to attach together with smart designed strong stainless steel joint connection parts. . Four small ones, three medium ones and two large ones are an assembly group. . Totally sealing structure cuts droplet infection off absolutely; the best choice for high class vet clinics and kennels. . Another customized size system also available, please check the following chart.



Joint Connection Parts Pull-out Waste Trav

Patented Door Lock




















Another Customized Size Available (KA-508-750 & KA-508-1500)

erra s	Net Weight	Gross Weight	Dimension(cm)		Volume	Contain	er(pcs)
ITEM	(kg)	(kg)	Stand	Package	(cbm)	20ft	40ft
KA-508S	24.5	39.5	60w×72d×60h	64×76×74(h)	0.36	81	162
KA-508M	38.2	58.0	80w×72d×70h	84×76×84(h)	0.54	42	84
KA-508L	43.6	65.0	120w×72d×90h	124×76×104(h)	0.98	26	56
KA-508-750	34.0	54.0	75w×72d×70h	79w×76d×84h	0.50	42	90
KA-508-150	54.5	77.0	150w×72d×90h	154w×76d×104h	1.22	20	44

X The package size above includes wooden box and lift fork space of 10cm high.

http://www.toex.cn


45

Frolley

KB-511

ALUMINUM PORTABLE TROLLEY

Best Dog Show Mate In The World!





The best dog show product on the earth, play the roles of luggage cart, temporary cage and grooming table.
 Amazing compact folding size of 92×95×19cm (KB-511NWT for instance), easy to put in car.
 No van or car

trailer needed any more, a home using vehicle is big enough to carry all your dogs and luggages, with the help of this

. Entire Aluminum frame, super light-weighted but strong, easy to clean and sterilize, last for long time. . All aluminum

fantastic powerful trolley.







Wooden Board with Rubber Matting and Aluminum Edging



Super Omni-direction Air Wheel



Two Sizes and hree Doors Styles for Different Breeds



28.21

31.81

25.00

27.65

22.00

23.76

26.21

29.81

23.00

25.65

20.00

21.76



80×54×94(H)

88×30×97(H)

0.26

KB-511AAT

KB-511AAF

KB-513AW0

KB-513AWT

KB-513AA0

KB-513AAT





Air Wheel, Aluminum Board, Two Door

Air Wheel, Aluminum Board, Four Door

Air Wheel, Wooden Board with Aluminum Border, One Door

Air Wheel, Wooden Board with Aluminum Border, Two Door

Air Wheel, Aluminum Board, One Door

Air Wheel, Aluminum Board, Two Door

New Choices of Purple and Blue Colors

Features by Painstaking Efforts



Wavy Skid-proof Surface



Anti-scratching Rubber Mat&



Ultra-strong Stainless Steel Hinge Foldable Handle





Featured Side Wall Latch



Double Reinforced Rivets



With Brake





FP-4424 SERIES

FABRIC PLAYPEN

The Super Economy Choice, the most worthy money you spend. Super heavy duty fabric of Textilene, a composite plastic-yarn with special structure, core body uses high-strength polyester industrial filament, provides perfect anti-scratching, anti-aging and anti-ultraviolet radiation features. Many different colors to choose, orange, black, gray, blue, green, etc.
Light weighted, easy to carry around. Specialized fixture stake pole design, easy to anchor the fabric pen securely to dirt or grass. It should be the best choice for handler and breeder when participating in outdoor shows.



	Net Weight	Gross Weight	Dimen	sion(cm)	Box Figure	Volume
ITEM	(kg)	(kg)	Stand	Package	(pcs)	(cbm)
FP-4424	3.3	4.3	120×120×61	10×10×75	4	0.03
FP-4436	4.7	5.7	120×120×92	10×10×105	4	0.04
FP-6624	4.1	5.1	180×180×61	15×15×75	4	0.07
FP-6636	6.0	7.0	180×180×92	15×15×105	4	0.09
FP-8824	5.0	6.0	240×240×61	18×18×75	4	0.09
FP-8836	7.3	8.3	240×240×92	18×18×105	4	0.13


EXERCISE PEN



• Top-quality pens are perfect for show, travel and home use. • Non-rust aluminum tube, ultra light-weight and fine workmanship, achieve this wonderful exercise pen together. • Durable 25mm×25mm (1") aluminum tubing and narrow spacing adds excellent rigidity and security with no hooks or exposed joints to injure pets. • Specially designed connection structure, easy to set up and fold flat. • A wide selection in this series, including different shapes of square, rectangle, Hexagon and octagon; and different sizes, like 4'×6'×24" (h). • Panels open easily to let pets in or out and fold flat for transport. • With the carefully considered part of a ground anchor on each side underneath, you could use a ground stake to fix the pen to dirt or grassland.











		Net Weight	Gross Weight	Stand Dimens	ion(cm)	Package	Volume
"	EM	(kg)	(kg)	Width of Each Wall	Height	(cm)	(cbm)
	EP-HEX-2824	6.0	7.0	70	60	71×23×62	0.10
	EP-HEX-2836	8.4	9.4	70	90	71×23×92	0.15
HEXAGON	EP-HEX-3624	7.8	8.8	90	60	91×23×62	0.13
	EP-HEX-3636	10.9	11.9	90	90	91×23×92	0.19
	EP-0CT-2824	8.0	9.0	70	60	71×28×62	0.12
OCTAGON	EP-0CT-2836	11.2	12.2	70	90	71×28×92	0.18
OCINGOIN	EP-0CT-3624	10.4	11.4	90	60	91×28×62	0.16
	EP-0CT-3636	14.6	15.6	90	90	91×28×92	0.23

OG-504

PHOTOCATALYST AIR PURIFIER

. This purifier uses broad spectrum ultraviolet light, reacting with titanium dioxide-based chemical catalyst, in the presence of water, to create hydroxyl radicals and super-oxide ions which oxidize volatile organic compounds, and eliminate microorganisms adsorbed on the catalyst surface. . No sensitive smell, no toxin at all, suitable for any environment and application. . Maintenance free, easy to operate and reliable quality, makes it a very helpful facility on odor removing and bacteria cleaning. . With 3 stage wind speed, it runs so quiet that you cannot even notice it when working normally. . Automatic Count-down timer, easy set up the extended time you want to use.





ITEM	Net Weight	Gross Weight	Dimension(cm)	Volume	Contain	er(pcs)
HEM	(kg)	(kg)	Stand	(cbm)	20ft	40ft
OG-504	14	15	48×45×58	0.125	216	384

OG-501

TWIN POWER OZONE GENERATOR

· Grooming saloon, pet shop, vet clinic, kennel, pet hotel, pet training school, etc. every place needs this wonderful machinery to remove odor, sterilize and disinfect their environment. . This advanced ozone machine is designed to destroy - not just cover up -pet odors, cleaning chemicals, bacteria, fungus, virus and other indoor air pollution, etc. . Generating high level of ozone, 14g/h, becomes the most efficient machinery in current market. . Purify the air in a 325 square ft room in less than 5 minutes! . 40,000 hours super long lifespan; make sure 50 years usage. . Count-down timer and automatic shut-down function, allows operation without watcher. . Non-stop work allowed, to ensure the stability of ozone generating and always keep it high efficient in use. . No supplementary drugs, no secondary pollution, maintenance free. . 120W only, low power consumption, low carbon product. . Humanized design; easy to use.





Removable Air Inlet Filter



	Net Weight	Gross Weight	Dimension(cm)	Volume	Contain	Container(pcs)	
ITEM	(kg)	(kg)	Stand	(cbm)	20ft	40ft	
0G-501	10.2	11.2	36×29×52	0.05	53	106	



0G-502

OZONE GENERATOR

- Single Fan version, make it more portable for some occasions.
 Piano baking varnish brings nice looking and fashionable appearance.
- . E-Z control, one switch realizes all functions.







ITEM	Net Weight	Gross Weight	Dimension(cm)	Volume	Contain	ner(pcs)
IIEM	(kg)	(kg)	Stand	(cbm)	20ft	40ft
OG-502	4.0	5.0	20×20×20	0.008	3200	7000



PET RAMP

 This is the perfect ramp for all pets that need assistance reaching high places.
 Made of complete aluminum material, It supports over 300 lbs without bending and only light weighted 20 lbs. • It is also more compact, making it easier to use and store. . It extends from 39" to 72" and anywhere in between. . Use it fully extended for SUV's, pickup trucks, grooming tables, etc. . Shorten the ramp when space is limited or when the upper surface isn't as high. . The unique, wavy walking surface with non-slip tread gives pets a sure footing. • The smart design makes it a stable grooming table when legs unfolded, that's a perfect solution to combine the grooming table and ramp function together. • Dimensions: 39-72" x 20" x 3". . Both with or without leg patterns available, PR-001W for leg included and PR-001W0 for ramp only.





	Net Weight	Gross Weight	Dimens	ion(cm)	Volume	Contain	40ft 700
ITEM	(kg)	(kg)	Stand	Package	(cbm)	20ft	40ft
PR-001W	8.5	9.2	180×8×50	95×17×52	0.08	300	700
PR-001W0	- 6	7.2	180×8×50	95×17×52	0.08	300	700

NG-002

CORDLESS NAIL GRINDER

■ Lightweight, ergonomic outer shape, compact design is easy to use anywhere. ■ Recharges in just eight hours with removable battery pack. ■ Ball bearing shaft drive provides smooth operation. ■ Trims nails quickly and smoothly, and is excellent for last minute touch-ups. ■ Compact handpiece is easy to maneuver, making it ideal for precision jobs on smaller pets. ■ Rotation speed from 5,000 RPM to 25,000RPM adjuatable.

Package Includes 6 Grinding Wheel Heads, 2 Batteries and One Charging Set.



NG-003

SERIES MOTOR NAIL GRINDER

• Ultra high motor rotation speed, adjustable from 8,000 RPM to 30,000RPM. • Safely and efficiently grooms pets' nails for fast, smooth, and accurate results; trimming pets' nails has never been easier than our nail grinder. • Replacement grinding attachments are also available and sold separately. Features quick-change collet for easy changing of attachments and finger grooves with pyramid pattern makes it much more convenient to control. • Safely and efficiently grooms pets' nails for fast, smooth, and accurate results. • The kit includes: grinding wheel head 6pcs, with 3pcs of small size and 6pcs of medium size.



Three Options of Grinding Wheel Head

		Single			Pack	ing	
ITEM	Net Weight (kg)	Gross Weight (kg)	Dimension (cm)	Box Figure (pcs)	Gross Weight (kg)	Dimension (cm)	Volume (cbm)
NG-002	0.9	1.3	31×20×8	10	15.0	100×33×22	0.07
NG-003	0.9	1.3	31×20×8	10	15.0	100×33×22	0.07

DS-600 series DOG STACKER The best choice for breeders! • The most efficient training facility to train your dog to behave properly. Light-weight to be portable and easy to travel with. • Strong and secure for your dog to feel at ease on.

• Light-weight to be portable and easy to travel with. • Strong and secure for your dog to feel at ease on. • Specialized size for different sized breeds to provides suitable training conditions. • A few minutes a day training on the this stacker will turn your fidgety dog into the confident show dog a judge will notice. • Plastic absorption processing, water-proof and decent appearance. • Non-slip rubber mat adhesived to the top of the stacker provides reliable anti-slippery function. • Paws should fit snugly onto the Stacker leg tops. There should be very little space around the foot, nor should toes hang over the edges of the tops. To ensure you order the

correct size for your dog, please measure your dog's foot and compare it to the sizes shown of the Show Stacker leg tops.

Stacker top diameter: 60mm (2 3/8") Stacker Height: 130mm (5")


• Large Suitable for medium sized and most large sized breeds

Stacker top diameter: 85mm (3 3/8") Stacker Height: 165mm (6 1/2")

. Giant Suitable for giant breeds

. Small Suitable for toy breeds

Stacker top diameter: 115mm (4 5/8") Stacker Height: 165mm (6 1/2")





PROFESSIONAL GROOMING APPAREL

DUPONT materials, waterproof, dustproof, germproof, antistatic, elastic and ventilate well;

Four color to choose, pink, silver, blue and purple; • With and without sleeves patterns;

Four size, M,L,XL,XXL;
 Print any picture you want on the apparels;
 Adjustable to be tighter or looser to fit body figure.

Item	Describtion
GA-2111/2112/2113/2114	Medium size With Sleeves Pink/Silver/Blue/Purple
GA-2211/2212/2213/2214	Medium size Without Sleeves Pink/Silver/Blue/Purple
GA-2121/2122/2123/2124	Large Size With Sleeves Pink/Silver/Blue/Purple
GA-2221/2222/2223/2224	Large Size Without Sleeves Pink/Silver/Blue/Purple
GA-2131/2132/2133/2134	XL size With Sleeves Pink/Silver/Blue/Purple
GA-2231/2232/2233/2234	XL size Without Sleeves Pink/Silver/Blue/Purple
GA-2141/2142/2143/2144	XXL Size With Sleeves Pink/Silver/Blue/Purple
GA-2241/2242/2243/2244	XXL Size Without Sleeves Pink/Silver/Blue/Purple

BTF-180

FIBERGLASS BATHING TUB WITH ADJUSTABLE STAND

Outstanding feature of fiberglass brings 50 years service life. Featured paw printing ornament on the bottom of tub plays the role of skid-proof mat. Fashionable gray color, matched with gray lifting base, represents for cleaning and reliable service. Patented rapid heater built in, heats water up in 3 seconds. Do not need to preheat water anymore, save much more power expense. High efficient booster pump, pressurize water to blow into undercoat to help groomer clean the deep dirt easier. Blue ray LED lights in the water, renders the water with transparent, purified blue color. Stainless steel swing in/out ramp, which could be folded underneath. ergonomic stand design, height adjusts from 91cm -106cm! Equipped with stainless steel over-head arm and waterproof steel loops.



Eiharalass Foldabla Dear Play



Fiberglass Foldable Door, Playing The Role of Step Ramp



Ultra-strong Zinc Die Casting Hinge



Ergonomic Adjustable Stand



Spray Head Holder



Blue-ray LED Lights



Shampoo spray Holder



BTF-180

BTF-180E

Tools Platform

BTF-180E

FIBERGLASS BATHING TUB
WITH ELECTRIC LIFTING BASE



Electric Lifting Base Adjusts from 76cm to 142cm (Which Means the Dog Walk-in Entry Could Get Down to 46cm).



BTS-130

STAINLESS STEEL BATHING TUB WITH SWING IN/OUT RAMP

Completely made of Premium Grade 304 stainless steel, heavy duty tub designed for professional use, will not be rusted for at least 10 years under normal usage condition. Pre-drilling holes on each size allows for 4" to 8" faucet hookups. The backsplash features for U shaped hooks for shower heads to hand up to. The access door slides to open while the loading ramp easily swings under tub for storage. High quality NSK ball-bearing on the rotational portion makes sure smooth turning and durable usage. Specially designed steel wire safety catch, make sure the ramp will not affect your daily operation. Includes ramp, tub floor mat and toy breed raised rack with mat. Tubs also come with stainless steel hair strainer, two tub racks with PVC bath mat, to keep pets above suds and dirty water.



BTS-85





OTTA A	Net Weight	Gross Weight	Dimens	ion(cm)	Volume	Contain	er(pcs)
ITEM	(kg)	(kg)	stand	Package	(cbm)	20ft	40ft
BTS-130	43	59	130×62×149	136×65×164	1.45	17	38
BTS-85	35	54	84×64×123	88×68×140	0.84	30	66

BTS-145

STAINLESS STEEL HYDRO BATH

SUS304 top class stainless steel brings the top durability to this hydro-bath, strong and antiscratching. Skidproof aluminum standing board prevents the potential injury caused by dog sliding. Double filters in water tank, at both water inlet and outlet position, ensure the pump will not be blocked by any hair or dirt. The recirculating water system could save a lot of cost on wasted shampoo and conditioner, since the soapy water still works well after recirculating for times, and also increase the working efficiency significantly. Triple water outlets decide which way the water is coming back and when to release all the waste water out. Two individual pumps and two single circuit controls increase the reliability of the bath a lot, so you can control one recirculating line as you wish. Two side doors allows dogs going in and out of the bath easily. The special designed self-priming pump produces a high volume mix of water and shampoo delivered powerfully enough to penetrate the thickest of coats. The unique Hydro-combing action of the spray head gently massages and stimulates the skin. This is a very effective way of washing your dog but also provides a therapeutic water massage that helps with blood circulation and relief of tired muscles. Other benefits include removal of dead skin cells, embedded flea eggs and any other materials that can be hidden and under normal circumstances prove very difficult to remove. This promotes healthier coats and improved skin conditions.



Double Side Doors



Water Recirculating System



Left Tank Detail




ITEM	Net Weight	Gross Weight	Dimensi	on(cm)	Volume	Contain	er(pcs)
HEW	(kg)	(kg)	Stand	Package	(cbm)	20ft	40ft
BTS-145	120	160	145×68×130(h)	151×72×145(h)	1.576	11	23




SNAKE CHAIN

ITEM	DESCRIPTION				
HEIW	Diameter(mm)	Length(cm)	Color		
SN045025GD	2.5	45	golden		
SN055025GD	2.5	55	golden		
SN060025GD	2.5	65	golden		
SN045025SL	2.5	45	sliver		
SN050025SL	2.5	50	sliver		
SN055025SL	2.5	55	sliver		
SN060025SL	2.5	60	sliver		
SN055030GD	3.0	55	golden		
SN060030GD	3.0	60	golden		
SN065030GD	3.0	65	golden		
SN055030SL	3.0	55	sliver		
SN060030SL	3.0	60	sliver		
SN065030SL	3.0	65	sliver		
SN040035GD	3.5	40	golden		
SN045035GD	3.5	45	golden		
SN050035GD	3.5	50	golden		
SN055035GD	3.5	55	golden		
SN060035GD	3.5	60	golden		
SN065035GD	3.5	65	golden		
SN040035SL	3.5	40	sliver		
SN045035SL	3.5	45	sliver		
SN050035SL	3.5	50	sliver		

ITEM	DESCRIPTION				
HEM	Diameter(mm)	Length(cm)	Color		
SN055035SL	3.5	55	sliver		
SN060035SL	3.5	60	sliver		
SN065035SL	3.5	65	sliver		
SN055040GD	4.0	55	golden		
SN060040GD	4.0	60	golden		
SN065040GD	4.0	65	golden		
SN055040SL	4.0	55	sliver		
SN060040SL	4.0	60	sliver		
SN065040SL	4.0	65	sliver		
SN055045GD	4.5	55	golden		
SN060045GD	4.5	60	golden		
SN065045GD	4.5	65	golden		
SN055045SL	4.5	55	sliver		
SN060045SL	4.5	60	sliver		
SN065045SL	4.5	65	sliver		
SN060055GD	5.5	60	golden		
SN065055GD	5.5	65	golden		
SN070055GD	5.5	70	golden		
SN060055SL	5.5	60	sliver		
SN065055SL	5.5	65	sliver		
SN070055SL	5.5	70	sliver		





SRC5000307000BK