



ALKALIZING IONIZING SUPERHYDRATING ANTIOXIDANT WATER FILTER

USER MANUAL

PLEASE

Read this manual before use

Your new UltraStream by AlkaWay is a 'state of the art' 8-stage water filtration and ionization system, designed to provide you with many years of clean alkaline ionized microclustered water.

LET'S SET UP YOUR ULTRA

You may attach your UltraStream to either your faucet or, using an undersink conversion kit, you may install your UltraStream undersink with a handy faucet on top.
(Undersink conversion sold separately)



CONTENTS

- 1 x UltraStream unit, inlet hose and flow diverter (This diverter will fit a "standard" 23mm diameter tap with male thread (27 tpi, threads per inch))
- 1 x UltraStream outlet spout
- 1 x Set of 3 flow diverter attachment rings (suitable for male/female thread conversions for both 21mm or 23mm diameter taps)
- 1 x pH test reagent bottle

PREFACE

The UltraStream is suitable for anybody that wants to improve their health and wellbeing by regaining their body's natural alkaline balance and drinking clean, filtered water. The UltraStream delivers fresh water that is completely safe and chemical-free. UltraStream's advanced filtration system removes a wide range of harmful chemicals including fluoride then remineralises your water with beneficial alkaline minerals. At the same time its proprietary ionizing media charges the water with negative hydrogen ions, giving it very powerful antioxidant ability.

INSTALLATION

1. REMOVE AERATOR

Unscrew aerator from your faucet counter-clockwise.



2. ATTACH DIVERTER

Attach your UltraStream diverter to your faucet. Take care not to twist the hose. (Also, a little Teflon plumbers' tape may be needed).



If you need the hose to be shorter, unscrew the collar on the diverter, remove the hose, and cut to preferred length. Re-attach hose by inserting hose end into collar, pushing hose onto diverter and screwing the collar tightly.

If your kitchen faucet's thread does not match our diverter, please check whether any of the alternative attachment rings provided with your UltraStream work and if not please contact your dealer or go to our website at www.ultrastream.ws/diverter

3. ATTACH SPOUT

Connect the spout to the top of the unit.

4. TURN ON THE WATER

Push the diverter pin to divert flow into your UltraStream.



5. FLOW CONTROL - Twist'n'Flow

UltraStream's base has a mains pressure certified flow valve inside of it. By placing the base on any flat surface and twisting it, your UltraStream's flow rate is adjusted from zero all the way up to full flow.

To test the flow control: turn UltraStream anti-clockwise to open and clockwise to close and control flow. UltraStream's unique swivel-flow system on the base of the unit will adjust flow rate as you twist.



6. FIRST FLUSH.

Run the UltraStream for approximately 15-20 mins at around 1 litre per minute to remove filter dust residues and fully soak the filter media. Do not drink this water.

7. TURNING OFF

When you turn off flow at your faucet diverter, filtered water may still flow for 20-30 seconds. This is due to residual pressure that may build up inside the UltraStream's highly efficient filter.

8. TESTING pH

Test the pH of the source water and the output of the UltraStream.

To test pH of water add one drop of pH reagent (included) to approximately 10ml (0.4 fl.oz) of water, shake or mix well. Match the colour of the same to the chart included.

Adjust the flow to achieve the desired pH

NOTE; NOT IN USE?

If your UltraStream is unused for a few days in a row, the first use water may be slightly grey and have a strong taste. This is caused by initial output water soaking in the energising media ever since you last used it. Allow water to run for 1-3 minutes through the UltraStream or until it becomes clear once more.

If you intend to leave your UltraStream unused for a longer time we recommend removing the filter and storing it in the fridge. Flush filter for 4-5 minutes before use.

UNDERSINK INSTALLATION

The UltraStream can easily be installed undersink. The AlkaWay undersink kit (sold separately) includes fittings and a specially designed faucet.

Learn more at www.ultrastream.ws/usk

FILTER REPLACE

Replacing your UltraStream filter cartridge is the easiest filter replacement ever. That's because of your UltraStream's simplicity of design.

1. Grip Spout and lift off (twist a little if necessary)

2. lift off filter cap

3. Hold base and unscrew filter in a anti-clockwise direction.



To install new filter, reverse this sequence.

FILTER LIFE

We've designed the Ultra filter media to last up to 12 months for four people each drinking 2 litres per day of municipal supply water. This will vary depending on the quality of your own water. We do not guarantee filter performance in non-civic-supply areas.

SAFETY INSTRUCTIONS

1. Your UltraStream is best located on the kitchen benchtop supply.
2. Never place the UltraStream in a freezer.
3. Do not run hot water through your UltraStream.
4. If installing the UltraStream yourself, please remain in compliance with this manual to maintain your warranty. If not installed under local authority compliance the warranty is void.
5. If flow reduces, it's probably time to change the filter. This may occur earlier than expected if the quality of your input water is poor.
6. After replacing your cartridge, don't forget to run water through the UltraStream for around 15-20 minutes.
7. When you are away from home for more than a few days, turn off the water supply to your UltraStream. This prevents pressure that may remain in the tubes and cartridge from causing damage.
8. Remember that the UltraStream isn't just a water filter; it's an ionizer and it uses pure magnesium to generate the negative ions in the water. If sealed off this can create extra pressure, so never seal the UltraStream.
9. To clean your UltraStream, do not use solvents. Warm soapy water is just fine.
10. If you choose to install or use the UltraStream outside of these recommendations, damage may result. Consumers are responsible for following all directives and the manufacturer or vendor are not responsible for incorrect or negligent application of this manual's directives.
11. It is strongly recommended that the user keeps a list of these safety instructions in a visible place near the UltraStream.
12. This product is not intended for use by children without responsible adult supervision.
13. The UltraStream unit and cartridge casing is made from recyclable plastic.
14. All media and materials used are NSF and FDA approved. See Specifications on back page for details.
15. When unpacking your UltraStream, please remove and recycle unwanted packaging.

WHAT TO EXPECT FROM YOUR ULTRASTREAM


We have designed the UltraStream to take advantage of the best filtration and energising media available in the world.

You can expect superb filtration of any municipal water supply. You can also expect that your water will have an effect upon you when you begin drinking it. For this reason we advise that you begin slowly. Initially, drink no more than two glasses a day, building to a healthy 1.5 – 2.5 litres daily, depending on your weight and situation, as your body becomes accustomed to the detoxifying, superhydrating and antioxidant effects of UltraStream Water. Remember that the stronger the flow, the less alkaline and antioxidant the water will be because it has not been in contact with the ionizing and energising media long enough. So if you want to drink more than 2 glasses a day, 'Twist'n'Flow' to high flow rate for your first few days, then reduce the flow to our recommended 1L / minute as you become used to its effect. Once there, you can either set it at that flow rate by only using

the faucet to turn it on or off, or by marking the filter where you have set it.

Newcomers to AlkaWay UltraStream water may experience a range of detoxification symptoms. Most common are body aches, headaches, fogginess or sometimes skin conditions. All of these conditions are caused by toxins being released from your storage areas, but if any symptom persists, you should contact your medical practitioner. It's always wise to notify your personal physician of any health strategy modification such as change of water supply. Once you become a regular user you may experience a whole range of positive health changes.

The www.ultrastream.ws website has some examples of users' experiences, but we would love to hear of yours.







We strongly recommend that you change your filter at the recommended 12 month maximum interval. A water filter gathers toxins from your water supply so once it becomes overloaded it has the potential to release potential toxins into your output water.





We have attractive filter purchase plans that save you money and provide an automatic reminder by email to you when your filter is due for removal.

email info@watersweet.com.au Subject Filterplan

What it puts in...



What it takes out...



For more information go to www.ultrastream.ws/results

For more 'performance' from your UltraStream

No water supply in the world is like another, and although UltraStream performs superbly on most municipal waters, it may be limited in performance with your water supply. If you find your UltraStream delivers reduced performance, you may need a prefilter to address your specific water supply and enhance performance.

Please contact your dealer for more details.

For Service & warranty

Go to: <http://www.ultrastream.ws/support>

And check videos of common questions answered. You can also download a Return Authorisation form and email your dealer.

Warranty

The UltraStream comes with a standard 1 year manufacturer's warranty. Depending on your country this can be extended to 3 years warranty by registering your purchase details. Warranty on your UltraStream is from date of purchase.

The filter inside the canister is not covered by warranty unless broken during delivery because source water conditions are beyond the control of the manufacturer or dealer.

UltraStream disclaims all implied warranties, including without limitation, warranties of merchantability and fitness for a particular purpose. Please package your UltraStream carefully to avoid damage during transit. This warranty gives you specific legal rights and these may vary from state to state. UltraStream is not responsible for any liability beyond the replacement of the unit itself due to manufacturer's defects. The warrantor assumes no liability for incidental or consequential damages; for damages arising out of misuse of the product or the use of any unauthorised attachment; or for damages arising from the use of the product with a faulty water faucet.

Please register at www.ultrastream.ws/register to receive product updates and to validate your warranty.

Specifications

Best output Flow rate.....1 Litre/minute (1.1 Quart/minute)

Required inflow water pressure.....35 kPa (5 psi)

Optimal inflow pH.....pH 6.8-7.2

Best inflow temp.....2-40°C (28-104°F)

Dimensions.....13cm (5") dia, 32cm high (12")

Net Weight.....3.5KG

Plastic.....ABS FDA Approved

Spartan Carbon.....NSF Approved

Heavy metal media.....KDF-55 NSF Approved

Activated Alumina..... NSF Approved

Tourmaline..... NSF Approved



Manufactured for AlkaWay by QMP, Inc.
25070 Avenue Tibbitts
Valencia, CA 91355 USA

It is strongly recommended that the user keeps this product manual for future use.

Your UltraStream from AlkaWay has been designed from the ground up for simplicity and ease of use. For problems please go to