



Email: sales@tradequip.com.au • Web: www.tradequip.com.au • ABN 79 096 932 464

GEAR

#7129 87 PIECE TAP & DIE SET



NEW!

TUNGSTEN STEEL

- 35 Die sizes – 10NC – M20
- 35 Tap sizes – 10NC – M20
- 2 Tap adjustable Tap Wrenches (1/16" – 1/2") (1/4" – 3/4")
- 5 Screw Extractors: No. 1, No.2, No. 3, No.4, No.5
- 5 Drill Bits 2.5, 3.3, 4.2, 5.0, 6.8mm
- 2 Die Handles (1' & 1.5")
- 1 T type Tap Wrench 1/2"
- 1 Screwdriver • 1 Screw-pitch Gauge

\$149

#9093 INDUSTRIAL RACK WITH INTERLOCKING WIRE DECKS

NEW!

- Welded End Frames
- 4 Adjustable Shelves with Wire Decks

\$495



- Bolt Free Design
- Powder-coated Steel
- Single Tool Assembly
- Each Shelf Holds 907kg
- Additional Racks can be added
- 1953mm (wide) x 610mm (deep) x 1829mm (high)
- Nett Weight 82kg

#1015 INDUSTRIAL GRADE PEDESTAL FAN - 750mm

- 750mm Solid Steel 3 Blade Fan
- 240/50Hz 380 Watt
- 3 Speed Motor
- 0° to 90° Oscillating Angle or Fixed
- Cast Iron Base for Stability
- Air Flow: 300m³/min
- Metal Oscillating Gears
- Adjust. Height: 1235 to 1760mm (Blade Centre)
- Nett Weight: 27.5kg

380 WATTS

\$189



TRADE QUALITY

#7128 160 AMP INVERTER WELDER

NEW!

- Electrode diam: Φ 2.5-4.0
- Protection degree: 21S
- Current range: 20-160Amp
- Input power: 5.9kW
- No-load voltage 72V
- Nett Weight: 6.8kg
- Duty cycle: 60%
- Efficiency: 85%

\$269



ALL PRICES INCLUDE GST

Sale Valid Nov/Dec 2012-Jan 2013



TRUCK BOXES & CASES

TOP GEAR



#9094 HEAVY DUTY PLASTIC CARGO CASE

- External Measurement: L 870 x W 530 x H 440mm
- Internal Measurement: L 800 x W 460 x H 430mm
- Depth of Lid: 95mm • Depth of Case: 335mm
- Nett Weight: 15.2kg

NEW!



\$399

#9095 HEAVY DUTY PLASTIC CARGO CASE

- External Measurement: L 1090 x W 690 x H 510mm
- Internal Measurement: L 1016 x W 616 x H 498mm
- Depth of Lid: 134mm
- Depth of Case: 384mm
- Nett Weight: 15.2kg

NEW!



\$499

- Low Linear Density Polyethylene (LDPE) & Long UV Rated
- Full Rubber around Lid
- Lightweight, Durable, Resists Dust, Chemicals, Dents and Oil.
- Waterproof, Heat and Corrosion Resistant
- Rustproof Stainless Fittings for Durability

#9070 STEEL TRUCK BOX - 3 DRAWER

AIR STRUTS

- 702mm (W) x 404mm (D) x 590mm (H)
- Air Struts Lid
- Weight: 60kg



\$499

#9074 STEEL TRUCK BOX - 4 DRAWER

AIR STRUTS

- 702mm (W) x 404mm (D) x 680mm (H)
- Air Struts Lid
- Weight: 66kg



\$595

#9831 24V 1/2" DRIVE CORDLESS IMPACT WRENCH + SPARE BATTERY

\$349



- Torque: 400Nm
- No Load Speed: 2000rpm
- Battery: 24V 1700mAh Ni-Cd
- 1 Hr Quick Charger & Case
- Impacts per min.: 2600
- Single Speed Trigger
- Nett Weight: 6kg

#9832 3/8" DRIVE CORDLESS IMPACT WRENCH - 14.4 Volt



\$149



- Torque: 200Nm
- Battery: 14.4V Ni-Cd
- No Load Speed: 2200rpm
- Impacts per minute: 2900
- Variable Speed Trigger with Fwd/Rev
- Charger Input: 230-240V / 50HZ / 108W
- Charger Output: 14.4V DC 1.3A
- Overload/Heat Sensors (ensures no overheating)
- With 1hr-Quick charger & Carry case
- Nylon Battery Casing

#9838 24V 1/2" DRIVE CORDLESS IMPACT WRENCH + SPARE BATTERY

\$449



- Torque: 550Nm
- 2 x Battery Pack, 1 Hr Quick Charge + Case
- Battery: 24V 1700mAh Ni-Cd
- Single Speed Trigger with Fwd/Rev
- Charger Input: 230-240V / 50HZ / 108W
- Charger Output: 24V DC 2.5A
- No Load Speed: 2000rpm
- Impacts per min: 2600
- Nett Weight: 7kg



TOP GEAR

#7124 KEN 14" CUT OFF SAW

- Disc Diameter: Ø355mm
- Frequency: 50Hz
- Input Power: 2300W
- No Load Speed: 3800r/min
- Nett Weight: 17.5 kg
- D-shape handle for easy gripping.
- Park Diversion Guard for operation safety



\$229

#7125 KEN 5" ANGLE GRINDER

- Industrial Design • Safety Lock Switch
- Disc Diameter: 125mm
- Rated Voltage: 230V
- Frequency: 50Hz
- Input Power: 1240W
- Idling Rotational Speed: 7500/min
- Nett Weight: 3.1kgs



1240 WATTS



\$99

#7130 KEN 180mm POLISHER

- No load Speed: 600 – 3000rpm
- Disc Diameter: 180mm
- Input Power: 1200W
- Nett Weight 3.2kg



1200 WATTS

\$149

DRILLING & SANDING EQUIPMENT

TOP GEAR



#7041 BELT & DISC SANDER 6" x 9" WITH STAND

• **Complete with Stand**

- 240V/50Hz 550 Watt
- Free Speed: 1400 RPM
- Quick Belt Release Lever
- Belt Size: 150 x 1220mm (6"x48")
- Work Table Size: 190 x 310mm
- Work Table Tilt: 0-45°
- Disc Size: 230mm (9")
- Belt Table Tilt: 0-90°
- Nett Weight: 50kg

\$525



#7083 BELT & DISC SANDER

- Size: 560(L) x 265(H) x 300(W)mm • Belt: 100x915mm (4"x16")
- 240V/50Hz 400 Watt • No Load Speed: 2800 RPM • Belt Table Tilt: 0-90°
- Disc Diameter: 150mm (6") • Work Table Tilt: 0-45°
- Nett Weight: 17kg

\$225



#7020 BENCH DRILL - 3/4HP

- No Volt Release Safety Switch
- With Engineers Type Coolant Table Tray
- 240V / 50Hz / 550W (3/4hp)
- Spindle Speed: 220-3480rpm (16 Speeds)
- Drilling Capacity (Steel): 28mm
- Spindle Taper / Travel: MT2 / 80mm
- Height: 1065mm
- Spindle to Table / Base: 435-470 / 680mm
- Chuck: 16mm
- Nett Weight: 61kg

\$375



#7065 INDUSTRIAL HEAVY DUTY DRILL PRESS - 750W - 1HP

- 240V / 50Hz / 750W (1Hp)
- Engineers Coolant Table Tray (355 x 355mm)
- No Volt Release Safety Switch
- Chuck Drill Size: 16mm
- Steel Drilling Capacity: 28mm
- Spindle Speed: 160-3000rpm (16 speeds)
- Spindle Taper / Travel: MT2 / 80mm
- Swing: 430mm
- Spindle to Table: 735mm
- Spindle to Base: 1235mm
- Overall Height: 1635mm
- Nett Weight: 85kg

\$595



#7066 INDUSTRIAL HEAVY DUTY DRILL PRESS - 1100W - 1.5HP

- No Voltage Safety Switch
- 240V/50Hz / 1100W (1.5Hp)
- Table Size: 425mm x 475mm
- Large Engineers Coolant Table Tray (425 x 475mm)
- Table T-slot Dimensions: 3 x 15 x 355mm
- Spindle Speed: 200 -1990rpm (12 speeds)
- Spindle Taper / Travel: MT3 / 120mm
- Chuck Drill Size: 20mm
- Steel Drill Cap: 32mm
- Swing: 515mm
- Spindle to Table / Base: 610mm / 1095mm
- Overall Height: 1700mm
- Nett Weight: 144kg

\$995



#7019 PEDESTAL DRILL - 3/4HP

- 240V / 50Hz / 550W (3/4Hp)
- No Volt Release Safety Switch
- With Engineers Type Coolant Table Tray
- Chuck: 16mm
- Drilling Capacity (Steel): 28mm
- Spindle Speed: 220-3480rpm (16 Speeds)
- Spindle Taper / Travel: MT2 / 80mm
- Spindle to Table / Base: 740-780mm / 1230mm
- Overall Height: 1610mm
- Replacement Chuck Part: #7019-1
- Nett Weight: 67kg

\$399



#8036 17 Pce HARMONIC BALANCE PULLER SET

- Five Sets of Bolts included in Metric and Imperial sizes
- Floating Pressure Point

NEW!

\$25



#8037 THREAD ROD CUTTER



\$199


NEW!

- Cuts Mild Steel Thread • Supplied with 8mm Cutter only
- Other sizes of cutter are available, but it is extra option:
8037 - 1 for 6mm cutter, 8037 - 2 for 8mm cutter, 8027 - 3 for 10mm cutter



#8038 HEAVY DUTY REBAR CUTTER & BENDER

- Size: 1320 mm in length
- Maximum Cutting Capacity: 18mm
- Nett Weight: 17kg

NEW!



\$375



#1210 PISTOL GRIP GREASE GUN

- Cartridges or Bulk Fill
- Working Pressure: 5000-7000PSI

NEW!

\$39



#1211 GREASE GUN ADAPTOR KIT 7 Pce

- Kit consists of adaptors and extensions to make almost any lubricating job easy
- Contents: Push on 90°, straight extension, 304 mm extension hose, 90° slide on coupler, rubber tipped nozzle, needle nose nozzle, 360° coupler



NEW!

\$59

#1212, 1213, 1214 OIL MEASURE JUGS WITH SPOUT

- Polyethylene oil measure jug will not dent, scratch or corrode
- Flexible delivery spout for topping up of engines, gear boxes, differentials, transmissions and crank cases quick and easy
- Hinged lid helps to prevent contaminants entering the jug

NEW!

#1212: 1 Litre **\$7.00**

#1213: 2 Litre **\$9.00**

#1214: 5 Litre **\$15.00**



#1182 INDUSTRIAL PEDESTAL MISTING FAN - 650mm

- 90° Oscillation
- 3 Speed, 270 Watt
- Adjustable Mist – Exit Vol: 0-16KG/Hour
- Water Shortage Protection.
- Suitable for Cooling People, Stockbreeding or Greenhouse Applications.

\$695



EXISTING STOCK

TOP GEAR



#7023 45 PIECE TAP AND DIE SET

- 45 Piece M.F. & M.C.
- Tungsten Alloy Steel
- 50mm / 2" Die Holder with 38mm / 1½" Adaptor
- Adjustable Tap Wrench: 6mm-25mm
- 'T' Type Tap Wrench: 6mm-13mm
- Metric Fine: M6 x 0.75 – M8 x 1.00 – M10 x 1.25 – M12 x 1.5 – M14 x 1.5 – M16 x 1.5 – M18 x 1.5 – M20 x 1.5 – M22 x 1.5 – M24 x 1.5
- Metric Coarse: M6 x 1.00 – M8 x 1.25 – M10 x 1.75 – M12 x 1.75 – M14 x 2.00 – M16 x 2.00 – M18 x 2.00 – M20 x 2.50 – M22 x 2.50 – M24 x 2.00
- With Metal Carry Case



\$169

#7113 PREMIUM QUALITY BI-METAL HOLE SAW KIT



- Arbor: 03-1001 & 03-1006 • Adaptor: 03-1052
- Saw Sizes: 19mm, 22mm, 25mm, 32mm, 35mm, 38mm, 44mm, 51mm, 57mm, 64mm, 76mm
- Includes 11 Bi-metal Hole Saws
- 12" Extension Bar: 03-1082
- M3 HHS Cutting Edge



\$99

#7116 21 PCE TRADE GRADE LARGE SIZE HOLE SAW KIT

- M3 High Speed Cutting Edge
- Thread Size: 1/2 – 30 & 5/8 – 18
- Wood/Metal Doors, Light Gauge Sheet Metal/Mild Steel
- Hole Saws: 3/4" (19mm), 7/8" (22mm), 1-1/8" (29mm), 1-3/8" (35mm), 1-1/2" (38mm), 1-3/4" (44mm), 2" (51mm), 2-1/4" (57mm), 2-1/2" (64mm), 3" (76mm), 3-1/4" (83mm), 3-5/8" (92mm), 3-3/4" (95mm), 4-1/4" (108mm), 4-1/2" (114mm)
- Arbor: 03-1001 03-1003 03-1006 Adapter: 03-1082



\$199

#7117 115 PCE TAP AND DIE SET - METRIC & SAE

- Die Sizes (48Pcs): 4-40, 5-40, 6-32, 8-32, 10-24, 10-32, 12-24, 1/4 -20, 1/4 -28, 5/16-18, 5/16-24, 3/8-16, 3/8-24, 7/16-14, 7/16-20, 1/2-13, 1/2-20, 9/16-12, 9/16-18, 5/8-11, 5/8-18, 3/4-16, 2x0.4, 3x0.5, 4x0.7, 5x0.8, 6x1.0, 7x1.0, 8x1.8, 8x1.25, 9x1.25, 10x1.0, 10x1.25, 10x1.5, 11x1.5, 12x1.75, 12x1.25, 14x2.0, 14x1.5, 16x2.0, 16x1.5, 18x1.25, 18x1.5, 1/8NPT27, 1/8BSP, 1/4NPT18, 1/4BSP19;
- Tap Sizes (48Pcs) as Die Sizes
- Drills 5 Pcs: 2.5, 3.3, 4.2, 5, 6.8mm
- 2 Pcs Die Handle,
- 2 Pcs Tap Wrench,
- 1 Pc Type Tap Wrench,
- 2 Pcs Screw Pitch Gauge,
- 1 Pc Centre Punch,
- Screw Extractors 5Pcs: 1#, 2#, 3#, 4#, 5#



\$199

#7126 WELDING HELMET AUTO DARKENING



- Power Supply: Solar Cell & Lithium Battery
- Dark Light: 0.2-1.0s adjustable (stepless)
- Sensitivity Control: Adjustable (stepless)
- View Area: 92 x 42mm
- Arc Sensor: 2
- Light State: DIN4
- Dark State: Variable Shade 9 – 13
- UV/IR Protection: DIN16
- Switching Time: 1/25,000s
- Grinding: Yes
- Operating Temp: - 10° - + 55°C
- Soring Temp: - 20° - + 70° C
- Application Range: MIG, MAG/CO2, SMAVW; TIG; PLASMA, ARC Weld/Cut
- Total Weight: 490g



\$69

#7127 WELDING HELMET AUTO DARKENING



- Power Supply: Solar Cell & Lithium Battery
- Sensitivity Control: Adjustable (stepless)
- Dark Light: 0.2-1.0s adjustable (stepless)
- Dark State: Variable shade 9-13
- Soring Temp: - 20° - + 70° C
- Optical Class: 1/2 1/2
- View Area: 100 x 50mm
- UV/IR Protection: DIN16
- Switching Time: 1/25,000s
- Low Volume Alarm: Yes
- ADF Self-Check: Yes
- Op. Temp: - 10° - + 55°C
- Grinding: Yes • Arc Sensor: 2
- Light State: DIN4
- Application Range: MIG, MAG/CO2, SMAVW; TIG; PLASMA, ARC Weld/Cut
- Total Weight: 490g



\$89

#1003 PARTS WASHER - 90 LITRE

- 240v/50Hz/0.5A
- Strong Steel Fabricated Design
- High Volume Pump (3.15 l/min)
- Overall Dimensions: 780(L)x540(W)x900(D)mm
- Tank size: 760(L) x 530(W) x 260(H)mm
- 240V pump output 220 litres per hour
- Suitable for Cleaning of all Parts
- Safety Drop Down Lid
- 90 litre Capacity
- Nett Weight: 28kg

\$225



WARNING: Never use Petroleum based Cleaning Products in ANY Parts Washer

#1004 PARTS WASHER - 180 LITRE

- Overall Dimensions: 1150(L)x560(W)x900(D)mm
- Safety Drop Down Lid • 240v/50Hz/0.5A
- High Vol. Pump (3.15 l/min) • Replacement Pump: 1005
- Tank Size: 1098(L) x 520(W)x270(H)mm
- Suitable for Cleaning All Parts
- Nett Weight: 45kg

\$375



WARNING: Never use Petroleum based Cleaning Products in ANY Parts Washer

#2064 600Kg TRANSMISSION JACK - DOUBLE TILT HEAD

- 600kg Safe Working Capacity
- Complete with Safety Chains
- Double Tilting Working Head
- Min. Height: 855mm
- Max. Height: 1760mm
- Nett Weight: 59kg

NEW!

\$895



TRADE QUALITY

TOP GEAR

#2003 AIR HYDRAULIC JACK - 20,000Kg

- 20,000kg Safe Working Capacity
- Size: 500(L) x 1275(H) x 320(W)mm
- Complete with 4 Interchangeable Saddles
- Hydraulic Lift: 120mm
- Adjustable Height: 80mm
- Minimum Height: 230mm
- Maximum Height: 430mm
- Nett Weight: 41.4kg

GREAT VALUE

\$895



#2068 AIR & HYDRAULIC JACK - 44,000Kg

- Minimum Height: 235mm
- Maximum Height: 413mm
- Screw Extension: 75mm
- Air Pressure: 120-200Psi
- Handle Length: 1270mm
- Wheel Diameter: 8"
- Nett Weight: 68kg

NEW!

\$1295



#2065 500Kg TRANSMISSION JACK - DOUBLE TILT HEAD

- 500kg Safe Working Capacity
- Complete with Safety Chains
- Double Tilting Working Head
- Min. Height: 855mm
- Max. Height: 1760mm
- Nett Weight: 55kg

GREAT VALUE

\$750



JUMP STARTERS & GENERATORS

TOP GEAR



#5086 JUMP START - 12V/24V HEAVY DUTY

- Battery: 2 x 22AH sealed lead acid battery
- Voltage: 12V/24V • Power outlet: 2 x 12V
- Automatic circuit overload protection
- Internal battery status display: LED
- Cranking Amp: 1200A/600A
- Peak Amp: 2400A/1200A
- Reverse Hoop-up Alarm.
- On/off switch



\$399



#5100 TOPSUN GENERATOR WITH 1kVA OUTPUT

- 54-59 Decibel Rating
- 4 Hour Continuous Running Time
- 2.7 Ltr Fuel Cap.
- 4 Stroke
- Weight: 14 kg

\$695



#5200 TOPSUN GENERATOR WITH 2kVA OUTPUT

- 54-59 Decibel Rating
- 3.5 Hour Continuous Running Time
- 3.5 Ltr Fuel Cap.
- 4 Stroke
- Weight: 22 kg

\$995



#5087 INDUSTRIAL JUMP STARTER - 12V/24V

- Internal Battery Status Display: Backlit Voltmeter
- Voltage: 12V/24V • Battery: 2 x 25HA
- Starting Current Output (5s): 2000A/1000A
- Starting Current Output (2s): 2400A/1200A
- Reverse Polarity: Buzzer Alarm & LED
- Welding Cable Size: 1/0 (50mm²)
- Welding Cable Length(M): 2M
- Packaging: 400 x 400 x 800mm
- Peak Current: 4000A/2000A
- Features: Wheels, Durable Battery, Quick Plug
- Power Outlet: 2 x 12V
- Surge Protection: Yes
- Clamp: 1000Amp
- Charger: 12V6-10A
- Nett Weight: 27kg
- Casing: PP



\$1295



#1196 9mm DIGITAL INSPECTION CAMERA



\$189

- Light-weight, handheld design
- Requires 4 AA batteries
- Mini 9mm waterproof LED lens
- Easy visual inspection of hard-to-reach areas.
- Mini water-proof camera with 1M flexible extended tube
- Manufactured and tested to IP67 waterproof standard
- 3 useful accessories included: hook, mirror and magnet
- 2.4" TFT-LCD color monitor • Night vision range: 1.5M

#1194 DIGITAL BATTERY TESTER

Features:

- Green and red LED's for fast decisions on Starter & electrical system testing
- High & Low voltage capture for improved starter & charging system testing
- Voltmeter mode for testing both the starter and the charging system
- Accurate battery test decisions in seconds
- No interpretation required
- Tests discharged batteries
- Bad cell detection

\$199

Specifications:


- Dynamic conductance with direct temperature and deep scan technology
- Applications: Individual 12 volt automotive starting batteries; 12 volt charging systems
- Rating system: CCA=100 -1400. SAE=100 - 1400. EN=100 - 1400. IEC=100- 800. DIN=100 - 800
- Voltage range: 7.6 - 17 Volt DC
- Housing material: Acid / Impact resistant ABS



#5077 SCEPTER PLASTIC VEHICLE RAMP SET

- Hi-tech Grate Design adds Strength and Increased Traction
- Longer Profile accommodates lower vehicle
- 4500kg Rated capacity gross vehicle weight. 1150kg each, (2300kg per pair)
- 412mm (H) x 245mm (D) x 875mm (W)
- Open Design allows fluids to drain
- Large Tyre Stop minimizes over run
- Approved to AS/NZ 2640:1994
- Constructed of High Impact Plastic
- Rust Proof and Lightweight

NEW!



\$119



TOP GEAR

#1122 ALUMINIUM MOTORCYCLE RAMP FOLDABLE - 2100mm



\$129

- Size: 2100x292x60mm
- Sturdy Lightweight Aluminium
- Loading Capacity: 200kg

#1158 ATV/MOTORCYCLE LIFTER - 650Kg CAPACITY

- Rubber Padded Saddles provide protection and ensure stability
- Foot Release for Precision Control when Lowering Lift
- Rear Swivel Wheel Castors and Rubber Grip Bar
- Fast Action Foot Pump to Lift with Ease
- Three Height Position Locks secure lift
- Maximum Lift Height: 370mm
- Minimum Height: 115mm
- Nett Weight: 28kg



\$169

#2028 MOTORCYCLE SCISSOR LIFT

- Complete with Safety Locking Bar & Tie Down Hooks
- Non-Slip Rubber Top
- Loading Capacity: 135kgs
- Maximum Height: 895mm
- Minimum Height: 350mm
- Platform Size: 410 x 350mm
- Nett Weight: 29.5kgs



\$275



#2073 MOTORCYCLE LIFTER

- Length without Extension: 1800mm
- Length with Extension: 2480mm
- Minimum Height: 220mm
- Maximum Length: 840mm
- Width: 630mm

NEW!

\$795



TOP GEAR



#1193 ENGINE CRANE - 3000Kg

- 3000Kg Loading Capacity
- Adjustable Working Range: 1200 – 1830mm
- Lifting Range: 0 – 2800mm
- Nett Weight: 126kg

\$695



NEW!

#1192 ENGINE STAND - 900Kg

- 900kg Safe Working Capacity
- Operating Height: 840mm
- Foldable Legs
- Nett Weight: 38kg

\$199

NEW!



#1191 ENGINE STAND - 566Kg

- 566kg Safe Working Capacity
- Operating Height: 840mm
- Foldable Legs
- Nett Weight: 27kg

\$149

NEW!



#2037 HYDRAULIC PRESS - 50,000Kg

- Winch on Table Rise and Fall
- Working Range: 0 – 1035mm
- Ram Lifting Height: 180mm
- 100mm Pressure Gauge
- 2 Stage Pump
- Width: 650mm
- Nett Weight: 450kg

GREAT VALUE

\$1795



#1002 HYDRAULIC PRESS - 20,000Kg

- 20Ton Capacity
- Fully Welded Frame
- Bottle Jack Type
- Max. Working Distance: 705mm
- Min. Working Distance: 130mm
- Gap between Columns: 570mm
- Gap between Bed: 105mm
- Supplied with V Blocks
- 6 Height Settings
- Overall Dimensions: 1510(H) x 665(W)mm
- Repl Ram: 2014
- Nett Weight: 88kg

\$595



#1000 FOLDABLE ENGINE CRANE

- Adjustable Boom: 250kg, 500kg, 750kg & 1000kg
- 1000kg Working Capacity
- Nett Weight: 76kg

GREAT VALUE

\$349



#1170 RETRACTABLE AUTO-REWIND AIR HOSE REEL 20 Metre

- Hose: 20M x 2M
- PP & Alloy Casing
- Pressure: 250Psi
- Fitting: 1/4 NPT
- Hose ID: 3/8"
- Hose: PVC

\$149

**20Mtr
OR
30Mtr**



\$199

#1171 RETRACTABLE AUTO-REWIND AIR HOSE REEL 30 Metre

#1172 RETRACTABLE AUTO-REWIND WATER HOSE REEL 20 Mtr

- Hose: 20M x 2M
- PP & Alloy Casing
- Pressure: 150Psi
- Fitting: 3/4 NPT
- Hose ID: 1/2"
- Hose: PVC

\$149

**20Mtr
OR
30Mtr**



\$199

#1173 RETRACTABLE AUTO-REWIND WATER HOSE REEL 30 Mtr

#3046 STRAIGHT TYPE AIR IMPACT WRENCH 1/2" (New Design)

- Max Torque: 540 N-m, 400ft-lbs
- Free Speed: 10,500 RPM
- Air Consumption: (25%) 6.80SCFM
- Clutch type: Twin Hammer
- Length: 255mm / 10.40 in
- Weight: 1.65kg / 3.63lbs
- Air Pressure: 90 psi
- Exhaust: Handle
- Air let: 1/4 "

\$149



NEW!



TOP GEAR

#3044 AIR IMPACT WRENCH - 1/2" DRIVE 1350Nm

- Noise dB: 91 (w/o silencer) • Vibration: 7.71 m/s² • Clutch type: Twin
- Exhaust: Handle • Length: 180m/m or 7.1 in • Weight: 2.3kg or 5.0 lbs
- Most powerful: 1350 N-m, 1000ft-ib • Free speed: RPM 8800
- Air pressure: 90 psi or 6.3kg/cm² • Air inlet: 3/8"
- Average air consumption (25%) 9.0

\$275



NEW!

GREAT VALUE

\$349

#3045 AIR IMPACT WRENCH - 3/4" DRIVE 1500Nm

#3047 AIR IMPACT GUN ANVIL COMPOSITE 8" ANVIL 1" DRIVE

- Max torque: 1938 N-m, 1600ft-ib
- Air pressure: 90 - 115 psi or 6.3 - 8kg/cm²
- Average air consumption (25%) 14.7
- Clutch type: Rocking clutch
- Length: 570m/m or 22.4 in
- Free speed: RPM 3700
- Weight: 14kg or 30.9 lbs
- Noise dB: 99.2
- Air inlet: 3/8"

NEW!



\$499

TOP GEAR

#1147 TRUCK OIL DRAINER WITH HAND OPERATED PUMP

- Tank Size: 1300 x 730 x 200mm
- Capacity: 70Ltr



\$595

#1046 65 Litre SELF-EVACUATING PORTABLE OIL DRAINER

- Telescopic Height Adjust
- Work Pressure: 15psi
- Ball Bearing Castor Wheels
- Air Inlet: 1/4"
- Weight: 23.4kg
- Size: Raised 600(L) x 390(W) x 1650(H)mm



GREAT VALUE

\$349

#1200 OIL PUMP 12V BATTERY DRIVE

- Driven by 12V battery
- Current: 16 - 20A
- 6500 rpm
- Output volume: 50 - 70L/M
- Inlet diameter: 30mm
- Nett Weight: 2.5kgs



NEW!

\$199

#1068 15 LITRE OIL BASIN

- Wide Handles for Easy Handling
- Oil Resistant Plastic
- Heavy Duty

\$29



#1198 LEVER ACTION GREASE GUN

\$49



- Capacity: 900cc
- Inside Diameter: 60mm
- Pressure: 10,000 psi

#1010 TELESCOPIC OIL DRAINER

- Capacity: 20L (5 Gal)
- Minimum Height: 1175mm
- Maximum Height: 1850mm
- Incl. 44 Gallon Drum Adaptor
- Bowl Size: 515(L) x 515(W) x 230(H)mm
- Replacement Valve Assembly: Part # 1010/1
- Replacement Adaptor to suit 44 Gallon Drum - Part # 1010/2
- Replacement Seal Kit 1902
- Replacement Bowl & Valve Assembly 1901
- Nett Weight: 8.8kg



\$199

#6021 PALLET TRUCK - 2500Kg

- Loading Capacity: 2500kg
- Fully Enclosed Gear
- Fork Length: 1220mm
- Fork Width (Total): 690mm
- Centre Fork Width (Gap): 365mm
- Height: Min. 85mm Max. 195mm
- Fork Wheel: 200mm
- Nett Weight: 80kg

\$495



TOP GEAR

#6005 AIRPORT TROLLEY

- H 863 x h 209 x L 916 x W 616
- Front Swivel Wheels
- Foldable Handle
- Heavy Duty

\$149



#6004 SERVICE TROLLEY

- Overall Dimensions: 735(L) x 380(W) x 760(H)mm
- 3 Tier 100kg Capacity • 75mm Soft Castors
- Weight: 14.6kg



\$115

#6001 CHAIN BLOCK - 1000Kg

- 360° Swivel Hooks (With Safety Latch)
- 1000kg Safe Working Capacity
- 3 Metre Lift • Auto Brake
- Hardened Steel Chain
- Nett Weight: 10kg

\$99



\$149

#6002 CHAIN BLOCK - 2000Kg

#6015 LEVER BLOCK - 750Kg

- 750kg Capacity
- 1.5 Metre Lift
- Hardened Steel Chain
- 360° Swivel Hooks (With Safety Latch)
- Nett Weight: 6.2kg



\$199



#6006 SCISSOR LIFT-500Kg

- Capacity: 500kg • Table Size: 820 x 500mm
- Low Height: 270mm • Lift Height: 900mm
- Foot Operated Hydraulic Action
- Quick Release Lever



\$595

TOP GEAR



#3031 SANDBLASTER - INDUSTRIAL

- 14 Gauge Steel Legs (16 Gauge Panels)
- Natural Rubber / Vinyl Blaster Gloves
- External Fluoro Light
- Pistol-grip Gun
- Work Pressure: 60-125psi
- Air Reg. / Gauge
- Powder Coated
- Internal Cab: 1200x600x570mm
- Foot-Pedal Operated
- Nett Weight: 122kgs.



- Perf. steel flooring-abrasive large particle separating screen and clean-out door

\$1995

#3009 SANDBLASTING CABINET

- Bench Top Model with Top Opening Door
- Low Voltage Internal Fluorescent Light with (240V AC/DC Adaptor)
- 4 Ceramic Nozzle Tips
- Window: 400 x 300mm
- 520(H)x640(L)x510(W)
- Nett Weight: 18kg

\$275



- With Gun, Gloves, Thread Tape & Extra Shields

#3032 90 LITRE SANDBLASTER



- With Safety Mask, Thread Tape & Sand Funnel.
- 4 Ceramic Nozzle Tips – 2.5, 3.2, 3.8, 4.5mm and Sandblast Gun which interchanges with 3008.
- Work Pressure: 60-125psi
- Hose Length: 2.5M
- Replacement Ceramic Tips Set: (4 pcs): 3008/3

\$395

#3043 PORTABLE SODA BLASTER 40lb (18Kg) CAPACITY

- Safe, harmless dry baking soda media not sand
- Rolled steel construction, forged steel coupler
- Heavy duty blaster is fully adjustable: low pressure for sensitive jobs
- Residue & dust simply hoses off surface
- Light weight & portable
- Consumption: 8.5@90psi
- Replaceable nozzle
- Built-in water trap regulator
- Op. pressure: 35-90psi
- Max. pressure: 100 psi



\$275

“Environmentally Friendly, Chemical-Free Stripping”

#1094 STEEL WORK BENCH WITH EDGE

- Heavy Duty Steel Construction
- Powder Coated Paint Finish
- 1500(L) x 700(W) x 940(H)mm
- Nett Weight: 50kg

GREAT VALUE

\$399



HEAVY DUTY

TOP GEAR

TRADE QUALITY

#1012 STEEL WORK BENCH

- 3mm Rolled Steel
- Heavy Duty Steel Construction
- Dimensions: 2000(L) x 860(H) x 640(W)mm
- Powder Coated Paint Finish
- 3 Lockable Drawers
- 1.5mm Sheet Steel Drawers
- Nett Weight: 100.8kg

HEAVY DUTY

\$575



GREAT VALUE

#1073 MOBILE WORK BENCH



HEAVY DUTY

\$495

- Loading Capacity: 300kgs
- Heavy Duty all Steel Construction
- Quality Swivel Castors with Brake
- Dimensions: 1100(L) x 700(W) x 1000mm
- Nett Weight: 55kg

#1095 STEEL WORKBENCH WITH 2 DRAWERS AND STEEL PEGBOARD

- Heavy Duty Steel Construction
- Powder Coated and Checkerplate Finish.
- Complete with 2 Drawers & Steel Pegboard Back
- Wood and Rubber Benchtop.
- 1505(L)X645(W)X1605(H)mm
- Board: 1495 x 615mm
- Premium Quality
- Nett Weight: 85kg

HEAVY DUTY

\$675



HYDRAULIC EQUIPMENT

TOP GEAR



#2054 AIR/HYDRAULIC PUMP 10,000Psi CAPACITY

- Pump / Release Pedal activated by hand or foot
- Filter prevents contaminants from entering Hydraulic System
- Durable Light-weight • Corrosion-free Aluminium
- Built-in Overload System

GREAT VALUE

\$495



#2005 PORTA POWER KIT - 10,000Kg

- Overall Case Dimensions: 750(L)x390(W)x170(H)mm
- 14 Piece Kit includes Pump, Hose and Fittings
- Max. Lifting Height: 150mm
- Working Pressure: 8990psi
- 10,000kg Safe Working Capacity
- Cylinder Min. Height: 367mm
- Nett Weight: 37kg

\$299



#2016 BOTTLE JACKS (Squat)

- 20000kg
- Hydraulic Lift: 100mm
- Adjustable Height: 60mm
- Minimum Height: 200mm
- Maximum Height: 360mm
- Base Area: 167 x 156mm
- Nett Weight: 10.2kg

GREAT VALUE



\$115

#2062 INDUSTRIAL GRADE 20MT PORTA POWER KIT



- Min. Height: 282mm
- Stroke: 128mm
- Nett Weight: 67kg



\$795

#2007 HYDRAULIC GEAR PULLER WITH CASE

- Dimensions: 355(L) x 195(W) x 150(H)mm
- Capacity: 10,000kg (11 Ton)
- Sturdy Metal Carry Case
- 2 or 3 Jaw Operation
- Replacement 10,000kg Ram: Part # 2007/1
- Seal Kit: 2007/2
- Nett Weight: 16kg


GREAT VALUE



\$299

#2026 AIR HYDRAULIC BOTTLE JACK - 20,000Kg

- Capacity: 20T
- Hydraulic Lift: 160mm
- Adjustable Height: 85mm
- Min Height: 265mm
- Max Height: 510mm
- Working Pressure: 90-120psi
- Air Inlet: 1/4" NPT
- Nett Weight: 16.3kg



\$249

#2032 TROLLEY JACK - 4000 Kg

- Safe Working Capacity: 4000kg
- Minimum Saddle Height: 150mm
- Maximum Saddle Height: 560mm
- Lifting Height: 410mm
- Main Body Width: 180mm
- Overall Width: 380mm
- Overall Length: 1410mm
- Nett Weight: 95kg


\$795



#2033 TROLLEY JACK - 9000 Kg

- Safe Working Capacity: 9000kg
- Minimum Saddle Height: 1650mm
- Maximum Saddle Height: 560mm
- Lifting Height: 400mm
- Main Body Width: 200mm
- Overall Width: 480mm
- Overall Length: 1550mm
- Nett Weight: 145kg

\$1095



#2057 TRANSMISSION JACK - 1000Kg CAPACITY

- 360° Rotating Removable Pump Handle
- Minimum Height: 220mm
- Maximum Height: 800
- Nett Weight: 55kg

\$499



#2067 TRANSMISSION JACK - 1500Kg CAPACITY

- 360° Rotating Removable Pump Handle
- Minimum Height: 200mm
- Maximum Height: 800
- Nett Weight: 58kg

\$995



TOP GEAR

#2800 HEAVY DUTY HIGH LIFT & LOW PROFILE TROLLEY JACK

- Lifting Capacity: 2000kg
- Minimum Height: 120mm
- Maximum Height: 620mm
- Nett Weight: 67kg

\$499



#2069 2 in 1 UTILITY CRANE WITH HYDRAULIC AND WINCH

\$349

- Two Hooks through Winch
- Winch has Brake
- Hydraulic Lifting Capacity: 225kg - 900kg
- Winch Lifting Capacity: 110kg, 450kg
- Working range of Boom: 870 - 1290mm
- Nett Weight: 53kg



#2055 UTE CRANE - 12 VOLT

- Lifting Capacity (Maximum): 300kg
- Lifting Height (Base to hook): 1800mm
- Lightweight Portable Design for Utes, Service Bodies, Vans, Loading Docks, Platforms, etc
- 3 Position Telescoping Boom: 1M, 1.25M & 1.5M
- 3 Boom Elevation Angles: 3°, 20°, 40° manual
- 360° Continuous Manual Rotation on Sealed Thrust Bearing
- Control: 10' remote • Rotation Hand Brake
- Power Requirement: 12VDC 70amps
- Base: 250 x 250mm
- Lifting Cable: 25" x 3/16"
- Nett Weight: 60kgs

\$695



TOP GEAR



#4015 TELESCOPIC GAUGE

- 6 piece 8-152mm ACC 0.01mm
- Graduation: 0.01mm
- Comes in Roll-up Wallet



\$39

#4025 DIGI. BRAKE CALIPER-100mm

- 4"/100mm
- Disc Brake Caliper
- 0-100mm / 0-4"
- +/- 0.02mm / 0-0.001"
- Push Button On/Off

\$99



#4008 DIAL INDICATOR - METRIC

- 0-10mm Indicator
- Accuracy: 0.01mm



\$39

- 0-1" Dial Indicator
- Accuracy: 0.001 inch

#4009 DIAL INDICATOR - IMPERIAL

#1091 NON-CONTACT INFRA-RED THERMOMETER

- Non Contact Laser Type
- Single Dot Laser Targeting
- Large 4 Digit LCD Display with Backlight Button
- Dual Scale °C & °F
- Measure Range: -50°C/500°C (-58°F-932°F)
- Distance to Target - Up to 1.5m
- D:S Ratio: 8:1 (field of view)
- Emissivity: 0.95 (fixed)
- Auto Off: (20sec)
- Includes 9v Battery & Protective Carry Bag

\$149



#4016 4 PCE OUTSIDE MICROMETER SET - METRIC

- Metric: 0-100mm
- Graduation: 0.01mm
- Supplied in Wooden Carry Case

\$99



#4017 4 PCE OUTSIDE MICROMETER SET - IMPERIAL

- Imperial: 0-4"
- Graduation: 0.001"

#4053 DIGITAL VERNIER CALIPERS - 150mm/6"

- Lithium Battery
- Self-luminous Background Light
- 0-150mm x 0.01 / 6" x 0.0005



\$59

NEW!

#4010 MAGNETIC BASE

- For use with Dial Indicators
- 588Nm / 60kg Base
- Nett Weight: 1.75kg

\$39



GREAT VALUE

#1064 NON-CONTACT INFRA-RED THERMOMETER

- Laser Power: Less than 1mW
- D:S Ratio: 12:1 (field of view)
- Distance to Target: up to 2.5m
- Emissivity: 0.95 (fixed)
- Large 4 Digit LCD Display with Backlight Button
- Response Time: 1.5sec
- Non Contact Laser Type
- Dual Scale °C & °F
- 12 Dot Laser Targeting
- Auto Off: (10sec)
- Measure Range: -20°C~537°C (-4°F~999°F)
- Accuracy: -20°C~50°C ±2.5% / 50°~537°C ±reading x 1%+1-C
- Includes 9Volt Battery & Carry Bag

\$199



#9072 14 PIECE PUNCH & CHISEL SET CR-V

- 5 PCS cold chisel: 1/2"x3/8"x6', 5/8"x1/2'x7', 3/4 x 5/8"x7', 7/8"x5/8"x8', 1"x3/4"x8-1/2'
- 1 PC centre punch: 1/8"x3/8"x5'
- 4 PCS pin punch: 1/8"x3/8"x5', 3/32"x3/8"x5', 3/16"x3/8"x6', 1/4"x1/2"x6'
- 4 PCS taper punch: 1/8"x3/8"x8-1/2', 1/8"x1/2"x10', 5/32"x1/2"x9', 3/8"x5/8"x10'

GREAT VALUE

\$69



TOP GEAR

#9001 38 Pce IMPACT SOCKET SET

- 38 Piece 3/8 & 1/2 Drive SAE & Metric 8, 9, 10, 11, 12, 13, 14, 17, 19, 21, 22, 24mm
- 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1"
- Standard and Deep Sockets
- 1/2 x 3/8 Adaptor

\$89



GREAT VALUE

#9086 WHEEL NUT SOCKET SET - 7 PIECE METRIC

- Professional quality 1/2" Dr deep impact sockets
- Prevents damage to wheels and decorative lug nuts
- 17, 19, 21, 22, 23, 24, 27mm

NEW!

\$99



#9052 WHEEL NUT SOCKET SET - 13 PIECE METRIC

- 17, 19, 21mm Socket
- Professional Quality 1/2" Dr Deep Impact Sockets
- Prevents Damage to Wheels and Decorative Lug Nuts

GREAT VALUE

\$39



#9084 26 PIECE PUNCH SET - 40CR-V STEEL

- 9 Pc Cold Chisel: 5/16" x 5-1/4", 3/8" x 5-3/4", 7/16" x 6-1/4", 1/2" x 6-3/4", 5/8" x 7-1/4", 3/4" x 7-3/4", 7/8" x 8", 1" x 8-1/8", 1-3/16" x 8-1/2"
- 6 Pc Pin Punch: 5/64" x 4-1/2", 3/32" x 5", 7/64" x 5-1/4", 11/64" x 5-3/4", 13/64" x 6", 15/64" x 6-1/2",
- 5 Pc Japer Punch: 3/32" x 4-1/2", 1/8" x 5", 3/16" x 5-1/2", 7/32" x 6", 1/4" x 6-1/2"
- 3 Pc Line-up Punch: 1/8" x 10-1/8", 3/16" x 10-1/8", 1/4" x 10-1/8"
- 2 Pc Centre Punch: 1/8" x 4-7/8", 3/16" x 5-5/8".
- 1 Pc Prick Punch: 1/8" x 5"

\$99



#9053 DEEP IMPACT SOCKET SETS - 13 PIECE METRIC

- 1/2" Dr. 10, 11, 12, 13, 14, 16, 17, 19, 21, 22, 24, 30

\$89



#9054 DEEP IMPACT SOCKET SETS - 13 PIECE SAE

TOP GEAR



#9060 ALUMINIUM TRAILER BOXES WITH GROOVE

- Size: 830 x 480 x 460mm
- Aluminium Thickness: 1.5mm
- Nett Weight: 9kgs



\$249

#9090 ALUMINIUM TRUCK BOX WITH DOUBLE DOOR



- 4 Gas Struts
- 2 x Piano Hinges
- Two T Metal Locks
- Nett Weight: 38kg
- Two Door 800mm opening
- 2mm Aluminium Checker Plate
- Size: 1800 (W) x 500 (D) x 700 (H)mm

\$995

#9062 ALUMINIUM UTE BOX SIDE WEDGE

- Gas Struts Lid & Full Rubber Seals
- Material: Checkerplate Aluminium 2.5mm(Thick)
- Dimensions: 1450 (W) x 500 (D) x 700 (H)

\$649



#9063 ALUMINIUM UTE BOX FOR FRONT

- Checkerplate Aluminium 2.5mm (Thick)
- Dimensions: 1450 (W) x 600 (D) x 500 (H)
- Gas Struts Lid
- Full Rubber Seals and T Handle

\$499



#9083 TRADESMAN SERIES STEEL UTE BOX



\$499

- 702x404x583mm
- Air Struts Lid
- Powder Coating
- Weight: 50kg



#9088 TRADESMAN SERIES STEEL UTE BOX



- Air Struts Lid
- Powder Coating
- 1270 x 600 x 750mm
- Net Weight: 100kg

\$995



#7120 MAGNETIC DRILLING MACHINE - TAPPING CAPACITY



- MT 2 Twist Drills, Chucks, Arbor, Tapping Chucks
- No-Load Speed: Speed 1: 0 – 500rpm. Speed 2: 0 – 800rpm
- Integrated Control System
- 12000N Magnetic Adhesion
- 38mm diameter drilling capacity
- M4 – M16 Tapping capacity
- 1050W/230V/Motor • 180mm Stroke
- Rotated Scope: ± 30°
- 50mm depth of cut
- Reverse / Forward turning
- Nett Weight: 20kgs

NEW!

\$795

#7121 METAL CUTTING SAW

- Quick Clamp for holding metal
- Heavy Duty Cast Iron construction
- Motor pPower: 2.2kw/single phase
- No-load Speed: 3000rpm
- Suitable to Grinding Wheel: 400 x 3 x 32mm bore size: 25.4mm
- Nett Weight: 71kgs



\$595

NEW!

#1056 INDUSTRIAL VENTILATION FAN - 1.2kw MOTOR

- With 5M of Flexible Tube (Flame Resistant)
- 240v/50Hz/1.2kw Motor
- 400mm Alloy Multi Blade Fan (2800rpm)
- Dimensions: 470(H)x435(W)x465(L)mm
- Replacement 5M Flexible Tube: 1056-1
- Air Delivery: 90m³/min
- Static Pressure: 410Pa
- Weight: 25Kgs


\$695



TRADE QUALITY

TOP GEAR

#7046 1.2 METRE SHEET METAL BRAKE (FINGER FOLDER)



- Maximum Bending Width: 1220mm
- Max. Fold Thickness (mild steel): 1.5mm/GA (1.0mm Full Width)
- Suitable for Box Making with Removable Fingers
- Copper: 1.8mm (soft) / 1.6mm (hard)
- Maximum Reverse Bend: 8mm
- Maximum Box Depth: 75mm
- Beam Adjustment: 3.2mm • Bending Angle: 0-135°
- Stainless Steel: 0.8mm • Aluminium: 2.5mm
- ABS Plastic: 5.0mm • Nett Weight: 169kg

\$1295

#7058 3 in 1 SHEET METAL, BRAKE, FOLDER AND ROLLER

- Mild Steel Capacity: 20G • Nett Weight: 135kg
- **Press Brake** • Bend Length: 762mm • Max. Bend Cap: 1mm
- **Slip Roll** • Capacity: 1mm • Min. Diam. Roll: 38mm
- Wiregrooves: 4.5mm
- **Shear** • Capacity: 1mm • Max. Cut Length: 762mm
- Size of Die Sets: 1", 2", 3", 4", 5", 6" & 10"
- Back Gauge Range: 12.7 to 406mm



GREAT VALUE

\$995

#1140 INDUSTRIAL VENTILATION FAN - 200MM - 150 WATT

- With 5 metre Tube • 200mm Diameter
- Air Delivery: 25M3 / mi
- Replacement 5M Flexible Tube: 1140-1

\$349



TOP GEAR



#7108 PEDESTAL BAND ROLLER

- Designed for Hot-Rolled or Mild Steel
- Can Roll Circles 8" in Diameter and Larger
- Can Roll Material as Heavy as 3/8" x 2" or 1/2" x 1"
- Nett Weight: 38kg



\$449

#5062 MAGNETIC BASE LED LIGHT



\$69

- 1 Watt LED
- Flexible Hose
- Heavy Duty Aluminium Body
- 4 AA Batteries for 3- 5 Working Hours



#3037 PROFESSIONAL AIR SPRAY GUN KIT

- Paint Spray Gun • Spray Gun • Blasting Gun
- Tyre Inflation Gauge • 4 metre Spiral Hose

\$69



#9832 3/8" DRIVE CORDLESS IMPACT WRENCH - 14.4 Volt



\$149

- Torque: 200Nm
- Battery: 14.4V Ni-Cd
- No Load Speed: 2200rpm
- Impacts per minute: 2900
- Variable Speed Trigger with Fwd/Rev
- Charger Input: 230-240V / 50HZ / 108W
- Charger Output: 14.4V DC 1.3A
- Overload/Heat Sensors (ensures no overheating)
- With 1hr-Quick charger & Carry case
- Nylon Battery Casing

#6035 INDUSTRIAL PLATFORM TRUCK + PNEUMATIC TYRE

- Loading Capacity: 750kgs
- Platform Size: 1372mm x 685mm
- Solid Steel Powder Coating Finish
- Pneumatic Tyre: 200 x 65mm
- Nett Weight: 60kgs

\$395



#8031 BALL JOINT REMOVER HEAVY DUTY LEVER TYPE

- Jaw Working Opening: 20mm
- Jaw Max. Opening: 55mm
- Throat Depth: 30mm

\$29



#1208 HEAVY DUTY STRUT COIL SPRING COMPRESSOR WITH GEARED HEAD

- Geared Head Wheel for easy & safe operation
- Max Stroke: 350mm
- Max. Out Spring Diameter: 90 -220mm
- Max. Pitch of Spring: 80mm
- Diameter of Spring Wire: 10 -16mm
- Overall Dimensions: 420 x 550 x 1400mm
- Nett Weight: 40kg

\$550



TOP GEAR

#9097 SUPER SHARP HOLLOW SET

- Carbon steel with drop forged & heat treated process provides powerful strength
- Plastic handle offers comfortable grip
- Punch accurate holes & washers in gasket material, leather, light gauge sheet metal, copper, plastic, rubber, cork, vinyl and more.
- 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8", 3/4", 7/8", 1", 1-1/8", 1-1/4", 1-3/8".
- 5, 6, 8, 10, 11, 13, 16, 19, 22, 25, 28, 32, 35mm

\$49



#7110 SHRINK AND STRETCHER WITH STAND

- Works up to 18 gauge Mild Steel
- Works up to 16 gauge Aluminum includes Heavy Cast Iron Frame
- Easy to operate, ideal for making perfect fit rust repair patches around wheel opening, door jams, windshields and truck gutters
- Nett Weight: 17kg

\$369



#5088 DUAL CHUCK TYRE INFLATOR

- Heavy Duty Die Cast & Spiral protected Air Hose
- Deflator Button & Dual Hold on Chuck
- Dual Calibrated: 0 -150PSI, 0 -1050KPA
- Magnified Sight Glass & Impact Absorbing Bumpers

\$59



#1144 ALUMINIUM DRYWALL BENCH

- Dimensions: 1225mm Long and 237mm Wide
- Loading Capacity: 114Kg
- Bench Top Capacity: 227Kg
- Adjust Height: 450mm - 750mm
- Folds for Easy Transport

\$199



• Available Extension Legs adjust from 825mm - 1100mm

#9096 LETTERS & NUMBERS STAMP SET - 36 PIECE

- Material: CR-V / Sand blasting
- Size: 6mm 27 Piece A - Z stamps
- Size: 6mm P Piece Number stamps

\$39



SPECIALTY EQUIPMENT

#1045 SUPERFLOW FLOOR FAN - 750mm

- 240V/50Hz/220 Watt
3 Speed Motor
- 450mm Steel 3 Wide Blade Fan
- Adjustable Flow Angle
- Nett Weight: 10kg

\$139

220 WATTS



#1026 WALL MOUNTED FAN - 750mm

- 0° to 90° Oscillating Angle or Fixed
- Heavy Duty Wall Fixing Plate
- Air Flow: 300m³/min
- Metal Oscillating Gears
- 750mm Solid Steel
- 240V/50Hz 380 W
- 3 Speed Motor
- 3 Blade Fan
- Weight: 18kg

\$189

380 WATTS



#5089 1 WATT LED WORKLIGHT

- 30LEDS up to 100,000 hours of continuous service
- Ring on the top for being hooked
- Magnet at the bottom for being hooked on metal
- Tough Anodized Aluminum bodies water resistant
- Shatter Resistant PC lens
- Discharge Time: 4 hours
- Visible Distance: 5 Metres
- Battery: 3 x AAA

\$39

NEW!



#1209 WHEEL LIFTER

- Helps to prevent back injuries
- Lifting Wheel for easy & safe demounting
- Gear Head driven
- Hand Wheel operation / 50seconds to the top
- Loading Capacity: 100kg
- Lifting Stroke: 900mm
- Suits Rim diameter up to 24"
- Fitted with Safety Hook to prevent wheel from falling
- Nylon Castors with brake for easy rotation and positioning
- Nett Weight: 38kg

\$699

NEW!



TRADEQUIP means **TOP GEAR**