

Nicopure Labs, LLC

5909 NW 18th Drive
Gainesville, FL 32653

Carbonyl Assay
Samples Received 10/16/2014

Product Name
Southern Classic

Analysis Report
(1014-142)

GC/MS Analysis For
Diacetyl
2,3-Pentanedione (aka: Acetyl propionyl)



Enthalpy Analytical, Inc.

Phone: (919) 850 - 4392 / Fax: (919) 850 - 9012 / www.enthalpy.com
800-1 Capitola Drive Durham, NC 27713-4385



Company:	Nicopure Labs, LLC
Sample Condition:	Samples received in good condition.
Notes:	Chain of custody verified.

Method / Parameter	Analyte(s)
GC/MS Analysis	Diacetyl
	2,3-Pentanedione (aka: Acetyl propionyl)

Summary of Method:

A measured volume of sample is combined with a volume of acetonitrile. A known amount of internal standard (Butanedione-d6) is added and the vial is capped and mixed thoroughly to combine. An aliquot is then analyzed quantitatively against a linear calibration curve using a GC/MS equipped with a mass selective detector. In this analysis, the limit of detection is 1.14 ug/mL for 'Diacetyl' and 1.14 ug/mL for '2,3-Pentanedione'.

Company	Nicopure Labs, LLC	# Samples	1
Analyst	LAH	Sample(s) Received	10/16/2014
Parameters	GC/MS Analysis	Client Project:	na
Job #	1014-142		

Enthalpy Code	Sample Name	Client's Sample ID	Diacetyl (ug/mL)	2,3-Pentanedione (ug/mL)
1014-142-56	Southern Classic		Not Detected	Not Detected

QC Notes:

'Diacetyl' and '2,3-Pentanedione' were not detected above the minimum detection limit.

I certify that to the best of my knowledge all analytical data presented in this report:

- Have been checked for completeness
- Are accurate, error-free, and legible
- Have been conducted in accordance with approved protocol, and that all deviations and analytical problems are summarized.

This analytical report was prepared in Portable Document Format (.PDF) and contains 2 pages.

Report Issued: 12/12/2014

**Enthalpy Analytical, Inc.**

Phone: (919) 850 - 4392 / Fax: (919) 850 - 9012 / www.enthalpy.com
800-1 Capitola Drive Durham, NC 27713-4385